

BIG BOOK

WINTER 2014

www.SecurityInfoWatch.com

THE SECURITY INDUSTRY'S PRODUCT GUIDE

RS2 Technologies Step UpSM System

The **Step UpSM System** is the latest in RS2's line of access control solutions that allow customers to enjoy the benefits of an open platform approach at a reasonable cost and with a minimum of installation hassle. The **Step UpSM System** is a reliable, easy-to-install hardware retrofit offering a simple board swap of boards currently installed in legacy systems. By using Authentic MercuryTM legacy replacement hardware, **Step UpSM** provides a "screwdriver-less" retrofit of outdated and unsupported installations that use proprietary hardware and software.

By working in partnership with Mercury Security, RS2 is able to provide customers who have previously-installed legacy systems with a solution that saves their entire investment in peripheral and network wiring, reader technology, enclosures and power deployment. Labor costs are also minimized compared to entire system replacements. By using a **Step UpSM** replacement unit, customers can simply remove the connectors from the legacy board, remove it from the enclosure, replace it with the corresponding **Step UpSM** board, refit the connectors and



power up. The bridged hardware is now open platform, reliable and uses current technology. System downtime is also minimized, as all boards are "hot swappable," meaning that replacements or additions can be installed while the enclosure is powered up and running the system. To find out more, call 877.682.3532 or visit the website below.

Request more information:
www.SecurityInfoWatch.com/12023792



AXIS Q6000-E: Simultaneous Full 360° Overview and Detailed Zoom

AXIS Q6000-E is an outdoor-ready 360° network camera that integrates seamlessly with the AXIS Q60-E Series of PTZ dome network cameras to provide a unique surveillance solution. A click on any object in AXIS Q6000-E, using the one-click PTZ control feature, will trigger an integrated AXIS Q60-E to optically zoom in to the specific object of interest.

The use of two screens gives a full 360° overview from AXIS Q6000-E and a zoomed-in view from AXIS Q60-E, providing operators with a high level of detail while still being able to maintain an overview of the entire monitored area for up to 215,000 sq. ft.

Any AXIS Q60-E camera is easily mounted inside the AXIS Q6000-E, allowing pre-existing AXIS Q60-E installations to be upgraded to monitor wide areas, while simultaneously capturing every detail of interest with just one click. Time and cost of installation are minimized since AXIS Q6000-E uses the same brackets and network cable as the AXIS Q60-E. Furthermore, AXIS Q6000-E is supplied with PoE+ through AXIS Q60-E, eliminating the need for power cables.

AXIS Q6000-E features four 2MP camera heads, each providing individually configurable 720p HDTV video streams in H.264 compression.

Motion JPEG is also supported for increased flexibility. AXIS Q6000-E is ideal for city surveillance applications, such as monitoring of public squares and parking lots or other open areas.

Axis Communications
300 Apollo Drive, Chelmsford, MA 01824
800-444-2947

Request more information:
www.SecurityInfoWatch.com/12024131



WinDSX AES-256 Encryption Software

The WinDSX AES-256 encryption software from DSX Access Systems contains government approved AES-256 bit encryption technology that can be implemented system-wide.

Encryption capabilities are built into the software and every field controller. For example, communications to each Location in WinDSX AES-256 can optionally be encrypted with a unique encryption key assigned by the customer for communicating with that Location's field controllers.

This is but another tool for DSX Integrators in meeting government requirements and FIPS compliancy just like the recently achieved UL 1076 listing.

Once purchased and enabled in the DSX Features Key, there is an Encryption Key that can be implemented to encrypt

communications between the Comm Server and the Workstations. There is also an encryption key that can be implemented optionally and individually for each location. Once communication is encrypted from the Comm Server to the Master Controller, the encryption is propagated to all controllers in that location.

Request more information:
www.SecurityInfoWatch.com/10271691

DSX Access Systems, Inc.



www.dsxinc.com



Bolide's Newest Digital Video Recorder – Now with P2P Technology

Bolide SVR9000HDP DVR Series introduces a new feature that makes it the most user-friendly and powerful DVR today — P2P technology. This function allows automatic port forwarding and instant connection to the network without any time-consuming configuration.

The SVR9000HDP DVR records HD-quality video without compromise — 960H resolution at real-time frames per second on every channel. View your DVR in 1080p display on a high definition monitor via its HDMI output. Multiple video management options feature time schedule recording, motion detection, alarm triggering, etc. Other features include audio in/out, alarm in/out, PTZ control via RS-485 port, among others. The SVR9000HDP comes in 4-channel, 8-channel and 16-channel models.

With the SVR9000HDP DVR Series, remote viewing has never been easier. Simply scan the QR code on your phone or tablet and log in to any DVR anytime, anywhere. Bolide's Central Management Software also comes



packaged with every unit for multiple DVR management on one interface.

Request more information:
www.SecurityInfoWatch.com/12024049



www.bolideco.com



LEADING WHERE OTHERS FOLLOW.



4850

THE RIM PANIC SOLUTION



- The only rim panic electric strike to handle 1/2" & 3/4" latches.
- Accepts 11-28DC



1/2"
THICK



MODELS
AVAILABLE

4100

THE CYLINDRICAL & MORTISE SOLUTION



- 4 most popular faceplate configurations in the box
- 1 - 3/8" Shallow Backset
- Why Cut more?
- Accepts 12 & 24 AC/DC
- 3,250 lbs. of Holding Force



12DC @ .240 A
24DC @ .114 A



3 Hour
Fire Rated

4200

THE CYLINDRICAL & DEADLATCH SOLUTION



- 4 faceplates for aluminum installations.
- Enough with the black ramps, We have color options!
- Accepts 12 & 24 AC/DC



12DC @ .240 A
24DC @ .114 A



1 - 1/16"
BACKSET

EXPERIENCE


THE ONE BOX SOLUTION SERIES

www.trineonline.com

Request information: www.SecurityInfoWatch.com/10215438

Don't Let the Death of 2G, Kill Your Accounts!

Trade Up to Universal StarLink 3/4G Radio
For only **\$49.95*** Suggested Dealer Price



SLE-GSM3/4G Primary or Backup Radio & App

2G

Upgrade any radio on any panel and safeguard all your accounts, with this unbeatable StarLink **\$50 Upgrade Offer:**

- Upgrade any 2G Radio
- Works on any Panel
- Full Data Radio
- Ultra-Easy to Install, Enroll & Activate

Here's How the Radio Upgrade Offer Works:

1. Buy a StarLink 3G/4G Radio for \$99.95 (New Sugg. Dealer Price)
2. Register & activate it online
3. Send us the 2G SIM Card from the Old Alarm Radio plus the StarLink Upgrade Form, Online
4. We'll Credit Your Account \$50

That's \$99.95 - \$50 = \$49.95
Unlimited Radios



For More: Call 1.800.645.9445 and see details online at www.napcosecurity.com/contact/StarLink4GUpgrade or scan QR Code at right.

* "Radio upgrade" Promotion from Napco requires purchase plus online registration/activation of a SLE-GSM3/4G (Unlimited Radios). ** Supports any panel using Contact ID or 4/2. StarLink is a trademark of Napco. Promotion may be ended without prior notice. Void outside US &/or where prohibited. Suggested Dealer Pricing quoted in USD.

Request information: www.SecurityInfoWatch.com/10215125

Table of Contents

BIG BOOK Winter 2014

6-9	Video Surveillance
10-19	Access Control & Door Hardware
20-21	Alarms & Intrusion Detection
22	Fire & Life Safety
23	Communications
24	Installation Tools & Equipment
24	Power Supplies
25	Keys, Key Controls & Automotive Accessories
26	Enterprise Security & Integrated Systems
26	Threat Detection Technology

ADVERTISER NAME	PAGE	WEBSITE URL
ComNet	B9	www.SecurityInfoWatch.com/10215705
Detex Corporation	B21	www.SecurityInfoWatch.com/10213445
DKS Door King Systems	B13	www.SecurityInfoWatch.com/10213482
DynaLock Corporation	B5	www.SecurityInfoWatch.com/10213515
Kaba ADS Americas	B11	www.SecurityInfoWatch.com/10214145
Kidde	B23	www.SecurityInfoWatch.com/10547737
LockState	B15	www.SecurityInfoWatch.com/12023740
LogicMark	B4	www.SecurityInfoWatch.com/10215951
Marks USA	B17	www.SecurityInfoWatch.com/10214311
Monitoring American Alarm	B20	www.SecurityInfoWatch.com/10490593
Napco Security Systems Inc	B3	www.SecurityInfoWatch.com/10215125
Sargent Mfg Co	B27	www.SecurityInfoWatch.com/10214903
Security Lock Distributors	B28	www.SecurityInfoWatch.com/10215009
Select Products	B19	www.SecurityInfoWatch.com/10215943
Strattec Security Corp.	B25	www.SecurityInfoWatch.com/10215947
Tane Alarm	B22, B24	www.SecurityInfoWatch.com/10215295
Trine Access	B2	www.SecurityInfoWatch.com/10215438
Vicon Industries	B7	www.SecurityInfoWatch.com/10215670

This index is supplied as a service to our readers.
The publisher assumes no liability for omissions or errors.

Help at the Push of a Button with Our New Waterproof Pendant

Introducing...

CARETAKERSENTRY

For Information
Call 1-800-519-2419 or
email Sales@LogicMark.com
www.logicmark.com

LogicMark
The Leader in Two-Way Voice Communication

Increase Your RMR

Request information: www.SecurityInfoWatch.com/10215951

CYGNUS BUSINESS MEDIA

The Big Book

is a publication of Cygnus Business Media
3 Huntington Quadrangle, Suite 301N.,
Melville, NY 11747 USA
Phone: (631) 845-2700 • Fax: (631) 845-2736
and is a supplement to *Locksmith Ledger*,
Security Dealer & Integrator and
Security Technology Executive magazines.

Editorial

Editor, *The Big Book*..... Paul Rothman
Editorial Director..... Steve Lasky
Editor, *Locksmith Ledger*..... Gale Johnson
Editor, *Security Dealer & Integrator*..... Paul Rothman
Editor, *Security Technology Executive*..... Steve Lasky

Art & Production

Art Director..... Bruce Zedler
Production Manager..... Jane Pothlanski

Publishers

Group Publisher..... Nancy Levenson-Brokamp

Sales Contacts

Northeast US & Eastern Canada, *SD&I, STE, SIW.com*..... Brian Ziff
brian.ziff@cygnus.com

Western US & Western Canada,
SD&I, STE, SIW.com..... Bobbie Ferraro
bobbie.ferraro@cygnus.com

Midwest, *SD&I, STE, SIW.com*..... Brian Lowy
brian.lowy@cygnus.com

Sales, *Locksmith Ledger*..... Brian Lowy
brian.lowy@cygnus.com

Classified Sales..... Kristy Dziukala
kristy.dziukala@cygnus.com

SecurityInfoWatch.com Contacts

Editor..... Joel Griffin
joel.griffin@cygnus.com

Other Contacts

List Rental..... Elizabeth Jackson
ejackson@meritdirect.com

Subscriptions Customer Service
Toll-Free (877) 382-9187; Local (847) 559-7598

Reprints

To purchase article reprints please contact Nick Iademarco at
Wright's Media: 1-877-652-5295 ext.102 or by e-mail at
niademarco@wrightsmedia.com

Cygnus Business Media

CEO..... John French
CFO..... Paul Bonaiuto
EVP Public Safety & Security..... Scott Bleda
VP Events, Public Safety & Security..... Ed Nichols
VP Production Operations..... Curt Pordes
VP Audience Development..... Julie Nachtigal
VP Technology..... Eric Kammerzell
VP Human Resources..... Ed Wood

Gaps In Patient Safety & Security?

DynaLock Series 3101C
Delayed Egress Locks
Fill The Gaps.

EMERGENCY EXIT ONLY
PUSH UNTIL ALARM SOUNDS.
DOOR CAN BE OPENED IN
15 SECONDS

Code-Compliant Delayed Egress
Installer-Friendly Installation
Customizable Sequencing Parameters
Auto-Detecting 12/24 VAC/VDC Input
1500 Lbs. Holding Force
Provides Patient Security & Reduces Liability
Readily Interfaces With Security, Fire, Patient
Wandering & Infant Abduction Systems
USA Made - Lifetime Warranty

DynaLock™
For Life™
www.dynalock.com

Request information: www.SecurityInfoWatch.com/10213515

Video Surveillance

Bolide Raphael Plus – The Best in the Industry

The Raphael Plus Series from Bolide introduces a new pinnacle in analog CCTV camera technology.

Powered by a new 1/3" Sony Megapixel image sensor, these cameras produce an astonishing 1100TVL resolution video with unmatched color reproduction. Bring any environment to life with more pixel density than ever before, allowing users to see even the smallest details. Enhanced 3D noise reduction and an extended dynamic range ensure accurate textures and sharp images from every angle.

Each Raphael Plus comes with an array of great features. Durable Super Flux IR LEDs make them ideal for night-time monitoring, and an onboard OSD control allows users to make adjustments to get the best picture in any environment. Its aesthetically pleasing IP66 rated housing design makes for easy installation for both indoor and outdoor applications.

Unlike CVI and TVI, the Raphael Plus does not have limitations in terms of recording solutions. The Raphael Plus is compatible

Raphael 1100TVL



with every DVR in the market today. This makes it the best solution for new camera systems, and serves as an upgrade for older, existing cameras. The Raphael Plus is available in fixed and vari-focal dome, eyeball, and bullet housing styles.

Megapixel performance in an analog camera — there is nothing better than the Raphael Plus.

Request more information:
www.SecurityInfoWatch.com/12024058



www.bolideco.com

ViconNet 7 Video Management Systems from Vicon

Announcing the latest evolution of video management software — ViconNet 7. Our open-platform network VMS solutions have become a critical component in securing thousands of facilities worldwide. Our newest version offers a feature-rich interface, reliable performance, and fully scalable system that allows for customization and compatibility with a wide range of ONVIF-compliant video and computer hardware.

Powerful: Our unique and powerful features offer all the tools necessary to maintain and monitor video security for all types of applications. With simple and intuitive features such as recording manager, search function, event and alarm management and archive wizard; we make it easy to setup and monitor. ViconNet 7's improved high-megapixel algorithm displays clearer images and crisper details. We deliver the widest range of display options, from smartphones or tablets to huge multi-monitor command centers via the Virtual Matrix Display Controller (VMDC).

Reliable: You can count on us with over 40 years of experience in thousands of installations. System components are backed by our professional services



program that ensures ease of installation and long-term performance.

Scalable: ViconNet offers video management solutions optimized for every size and budget, offering the JUMP, ZONE and PEAK three-tiered option. Our open-platform and compatibility allows for system expansion and versatility.

Request more information:
www.SecurityInfoWatch.com/11654548



www.vicon-security.com

Bolide's 4-Channel 1080p HD Camera Kit

Bolide's newest 4-channel network camera system kit provides a simple 'plug and play' solution for any IP camera application. This complete system includes four iPac Lite 2.0MP cameras and BN Series 4-Channel NVR with built-in POE.

The iPac Lite Series features full 1080p high-definition video and all the essential features in an affordable package. Powered by a 1/3" 2.0 Megapixel image sensor, these cameras produce a crisp 1080p high definition resolution and accurate color reproduction for great detail. These hybrid cameras (IP and analog) provide multiple stream options and an analog BNC output as a spot output for public view monitors. The iPac Lite Series are POE-enabled, and are embedded with the latest ONVIF protocol that allows for easy integration with other IP camera systems.

Bolide's BN Series stand-alone NVR is one of the most powerful and user-friendly NVRs in the industry. This NVR supports up to 16 cameras and records at 1080p high definition video. Setting up cameras is quick and easy. Its "auto-sniff" feature automatically detects cameras that are connected into its built-in POE ports and streams onto the screen instantly! The simple GUI allows easy



operation and intuitive user experience. The BN Series NVR also features schedule recording, alarm recording, motion detection and pre/post alarm recordings. Its two hard drive bays are capable of carrying up to 4TB of storage. VGA and HDMI outputs are built-in for high definition displays and remote viewing is available for Android and iOS devices.

The iPac Lite Series cameras and BN Series NVR are the perfect combination that makes up one of the most powerful, reliable, and affordable camera systems available in the industry.

Request more information:
www.SecurityInfoWatch.com/12024065



www.bolideco.com

ComNet Advances NetWave™ Wireless Ethernet Transmission Product Line – Easy to use and no Certification Needed to Install

ComNet, a USA-based manufacturer of fiber optic and copper transmission and networking equipment, has expanded its line of wireless Ethernet Transmission Products. NetWave® will consist of commercial grade and industrially hardened point-to-point kits, as well as point to multipoint models. The NetWave® NWK-1 is available exclusively as a kit and contains all the components needed to transmit a single Ethernet stream between a remote location and Access Point. To make NetWave™ products easy to install, all NetWave™ products feature LED arrays that assist the installer in aligning the antennas for optimal performance. This feature as well as many others further supports the ComNet goal of simplifying NetWave™ installation. With NetWave® there are no certifications need to install it.

For more information on the easy-to-use, easy to install NetWave® Wireless solution visit: www.comnet.net/comnet-products/ethernet/wireless

ComNet offers an extensive line of fiber optic video and data transmission




equipment as well as a line of Ethernet Network equipment that is uniquely toughened to meet the needs of the Security and Intelligent Transportation System market. Full product line details are available at the link below. Call direct 203-796-5300 or email sales@comnet.net for details.

Request more information:
www.SecurityInfoWatch.com/10916772



www.comnet.net

Introducing ViconNet 7



Our open platform video management software delivers powerful, reliable and scalable solutions for any application. ViconNet 7 is the latest evolution of our VMS platform that's become the critical component in securing thousands of facilities worldwide. With a new suite of features that streamline setup and add new functionality, our newest version offers:

- Improved high megapixel display for clearer images and crisper details
- New time-saving recording configurator
- Flexible privacy masking pre- and post-recording
- Multi-platform Mobile Client
- Free 6-channel starter package available for download

With packages priced for every sized system and budget, our scalable JUMP/ZONE/PEAK video management solutions are optimized for all your security needs.

POWERFUL
RELIABLE
SCALABLE



*Contact your local sales representative or call 1(800) 645-9116 for more information.



Download the Free Mobile App!



Request information: www.SecurityInfoWatch.com/10215670

ComNet CNMCSFP Series Accommodates Both 10/100Mbps or 1000Mbps Transmission with PoE in One Unit



upgrade costs. The CNMCSFP uses small form factor (SFP) devices, giving the user flexibility in terms of fiber type, connector type and distance. The CNSFPMC is made in the USA and comes with a lifetime warranty.

In effect, once in place, there is virtually no Ethernet bandwidth requirement that cannot be accommodated. More info is available at: www.comnet.net/comnet-products/ethernet/media-converters/cnmc2sfppoem.html.

ComNet Communication Networks now offers a variable rate electrical-to-optical media converter with PoE (Power over Ethernet) that allows the user to select between 10/100 Mbps and 1000Mbps rate transmission and provides up to 30 watts of PoE+ for powered devices (PD).

ComNet designed this hardened media converter, the CNMCSFP, for applications where there is a potential upgrade to Gigabit transmission or as method to reduce the number of individual media converter models being used. This multiple rate feature can eliminate future hardware

Full product line details are available at the link below. Call direct 203-796-5300 or email sales@comnet.net for details.

Request more information: www.SecurityInfoWatch.com/10824206

comnet
Communication Networks

www.comnet.net

AXIS Q6000-E: Simultaneous Full 360° Overview and Detailed Zoom

AXIS Q6000-E is an outdoor-ready 360° network camera that integrates seamlessly with the AXIS Q60-E Series of PTZ dome network cameras to provide a unique surveillance solution. A click on any object in AXIS Q6000-E, using the one-click PTZ control feature, will trigger an integrated AXIS Q60-E to optically zoom in to the specific object of interest.

The use of two screens gives a full 360° overview from AXIS Q6000-E and a zoomed-in view from AXIS Q60-E, providing operators with a high level of detail while still being able to maintain an overview of the entire monitored area for up to 215,000 sq. ft.

Any AXIS Q60-E camera is easily mounted inside the AXIS Q6000-E, allowing pre-existing AXIS Q60-E installations to be upgraded to monitor wide areas, while simultaneously capturing every detail of interest with just one click. Time and cost of installation are minimized since AXIS Q6000-E uses the same brackets and network cable as the AXIS Q60-E. Furthermore, AXIS Q6000-E is supplied with PoE+ through AXIS Q60-E, eliminating the need for power cables.



AXIS Q6000-E features four 2MP camera heads, each providing individually configurable 720p HDTV video streams in H.264 compression. Motion JPEG is also supported for increased flexibility. AXIS Q6000-E is ideal for city surveillance, such as monitoring of public squares and parking lots or other open areas.

Axis Communications
300 Apollo Drive, Chelmsford, MA 01824
800-444-2947

Request more information: www.SecurityInfoWatch.com/12024131

AXIS
COMMUNICATIONS
www.axis.com

Bosch's DINION IP Ultra 8000 MP camera

Bosch's DINION IP ultra 8000 MP camera features the latest 4K ultra HD technology and simultaneously supports a wide-angle overview and multiple focus points on a single screen to focus on details without losing the bigger picture. Its 12 megapixel or 4K ultra HD resolution allows any given subject to be viewed in detail unknown until now even when zoomed-in. As a result, the DINION IP ultra 8000 MP offers the decisive clarity needed for collecting relevant evidence for highly detailed and effective retrospective analysis. Now, it is easy to keep an eye on the crowd, for example in a stadium, and provide enough detail to identify individual people. Built-in Intelligent Video Analysis (IVA) makes it an ideal solution for highly detailed and effective retrospective analysis. www.boschsecurity.com/HDSecurity
Request more information: www.SecurityInfoWatch.com/12023672



Toshiba IKS-WD6112 IP Dome Camera

Toshiba Surveillance & IP Video Products' IKS-WD6112 is a discrete, low-profile IP dome camera designed for indoor video surveillance. Although exceptionally lightweight and compact, the camera unleashes the full power of IP video with its true HD resolution (1920x1080) at 30 frames-per-second, plus its bandwidth-efficient H.264 compression. Quad-streaming capabilities provide four separately configured video streams from one camera simultaneously, enabling users to optimize each stream. Features include Wide Dynamic Range and electronic day/night imaging, making it ideal for all lighting conditions. At less than two inches high, it can be installed in locations where standard cameras would be obtrusive. It is ONVIF compliant for maximum compatibility with network equipment from Toshiba or third parties and includes Power over Ethernet (802.3af).

www.toshibasecurity.com
Request more information: www.SecurityInfoWatch.com/12019986

Bolide's Newest Digital Video Recorder – Now with P2P Technology



Bolide's SVR9000HDP DVR Series introduces a new feature that makes it the most user-friendly and powerful DVR today — P2P technology. This function allows automatic port forwarding and instant connection to the network without any time-consuming configuration.

The SVR9000HDP DVR records HD-quality video without compromise — 960H resolution at real-time frames per second on every channel. View your DVR in 1080p display on a high definition monitor via its HDMI output. Multiple video management options feature time schedule recording, motion detection, alarm triggering, etc. Other features include audio in/out, alarm in/out, PTZ control via RS-485 port, among others. The SVR9000HDP comes in 4-channel, 8-channel and 16-channel models.

With the SVR9000HDP DVR Series, remote viewing has never been easier. Simply scan the QR code on your phone or tablet and log in to any DVR anytime,

Featuring
P2P
Automatic
Port Forwarding

anywhere. Bolide's Central Management Software also comes packaged with every unit for multiple DVR management on one interface.

Request more information: www.SecurityInfoWatch.com/12024049

BOLIDE
TECHNOLOGY GROUP
www.bolideco.com

12MP Sentinel IQEye Camera from Vicor

With the best 4K image in the industry, the newest addition to the Sentinel line delivers up to 12MP resolution and is ideal for outdoor applications that typically cover wider fields of view. It delivers vibrant, crisp images using cutting-edge imaging sensor and encoder technology.

The 12MP Sentinel offers approximately 6 times the pixels available in a standard HD 1080p camera, enabling greatly increased pixel density for the same scene. Users can install fewer of these cameras to capture a wider field-of-view while maintaining the original pixel density. With its dual-core CPU, the 12MP Sentinel has unique on-camera processing capabilities to deliver multi-streaming forensic quality video with enhanced image processing and noise correction, while also running analytics directly on the camera before pushing video over the network.

Cost Effective: affordable and requires fewer cameras to capture wider field-of-view.

Superior Resolution: achieves forensic detail at a greater distance, for example, from across a stadium.



Power at the Edge: provides capabilities on-board camera to run applications such as analytics and recording.

Reduce bandwidth demands and cost: with multi-stream ability, a 1080p stream can be stored to the NVR while the 4K stream can be stored on the device with USB storage — reducing storage expenses and bandwidth demands.

Request more information: www.SecurityInfoWatch.com/11670384

VICOR
www.iqeye.com

84TB Video Recording Platform from BCDVideo



BCDVideo has released an 84TB model of its Nova Series video recording platform. This new product allows the storage company's BCD380V8-M system to manage up to 73TB of RAID 5 useable internal video storage, a 150 percent capacity increase, while still only using two rack spaces! The majority of storage projects can now be handled in this single solution. This product comes embedded with all of BCDVideo's SMARTtechnologies and boasts an unparalleled five-year, global, on-site warranty. For more info, visit www.bcdvideo.com. Request more information: www.SecurityInfoWatch.com/11691121

American Dynamics' VideoEdge Micro NVR



VideoEdge Micro is a compact version of American Dynamics' popular VideoEdge network video recorder. Ideal for businesses that have satellite sites with limited space, or smaller businesses that want an IP-only solution for their active surveillance needs, the unit easy to set up and use. An embedded PoE switch detects and provides power to IP cameras, while an auto discovery feature identifies and helps to assign IP addresses to cameras on the network. Features such as embedded analytics enable even the smallest retailer to leverage powerful analytics such as heat mapping, dwell and linger, and shelf sweep detection to gain essential information about their store operations and customer shopping behaviors. www.americandynamics.net
Request more information: www.SecurityInfoWatch.com/11748997

The Single-Source Solution
For All Your Transmission Products

comnet
is the



The One source for all of your transmission requirements, Fiber Optic Video, Audio and Data, and Fiber Optic, Copper and Wireless Ethernet.

The number **One** for product quality. The **One** to turn to for the best service, and for product support. The only **One** for "Made in the USA Quality" and you found the **One** for the Lifetime Product Warranty.

The One place to turn to and the One to solve all of your transmission challenges.

comnet
Communication Networks

comnet.net/register.html
info@comnet.net
1-203-796-5300
1-888-678-9427

Contact the ComNet Design Center for **Free Assistance** in Choosing the Correct Fiber Optic, Copper or Wireless Connectivity Solution
Call 1-888-678-9427 or 1-203-796-5300, or email designcenter@comnet.net
MADE IN THE USA LIFETIME WARRANTY ∞

Request information: www.SecurityInfoWatch.com/10215705

EcoFlex™ Electrified Mortise Locks

EcoFlex technology, available in electrified mortise locks from ASSA ABLOY Group brands CORBIN RUSSWIN and SARGENT, represents a significant innovation in door opening technology. The EcoFlex electrified mortise lock is ideal for access control applications, whether it is used in conjunction with a wall reader, in an integrated hardwired lock, or in an integrated battery-powered lock.

EcoFlex offers a flexible, reliable solution with a single ANSI/BHMA Grade 1 mortise lock that can serve a variety of uses. One lock body can be used for 12V - 24V applications and can be easily field-configured for fail-safe or fail-secure operation.

EcoFlex electrified mortise locks offer a remarkable 97 percent reduction in energy usage compared to standard electrified locks. With this dramatic reduction in energy consumption, drawing less than ¼ watt at 12V, EcoFlex offers more flexibility

to consolidate power supplies and reduce operating costs. With the lower power draw, the load on each power supply is lessened, reducing costs, simplifying deployment and improving system reliability.

EcoFlex's innovative actuator design further improves system reliability by eliminating the risk of voltage drops and inductive kickback, enabling longer cable runs and eliminating the need to add kickback diodes to an installation, for reduced cost and complexity.

Request more information:
www.SecurityInfoWatch.com/11237789

SARGENT

ASSA ABLOY

www.intelligentopenings.com/ecoflex

**Corbin
Russwin**

ASSA ABLOY

Loc-Down™ by MARKS USA: Life Safety Classroom Intruder ANSI/BHMA F110 Function Leverset

To answer the challenge of security and life safety in today's classroom environment, Marks USA Custom Lockset Division has developed the Loc-Down™ Classroom Intruder ANSI/BHMA F110 Function Leverset with Clutch Design

(Marks USA Function DB). Marks USA has incorporated all of the standard features of their Survivor Series Locksets (clutch system, super strength retractor, long-life lever support springs and a life test of over 3 million Cycles) with their new Life Safety Classroom Intruder Function.

At the first sign of trouble outside, lock down a classroom instantly with Marks USA's Loc-Down™ Intruder Locksets. Typical Classroom function cylindrical locksets are designed to be locked or unlocked from the



exterior with the interior always in an open position, but allows in emergency life safety situations the teacher to secure the classroom without stepping into the hallway to lock the outside handle. Faculty and students remain safely within the classroom. There is no need to open the door, the exterior lever is disabled by operating the interior lock cylinder.

Request more information:
www.SecurityInfoWatch.com/10889196

www.marksusa.com

MARKS USA

Kaba Access & Data Systems' Product Line

Kaba Access & Data Systems Americas comprise the leading manufacturers of asset protection solutions and innovative technologies that define security and convenience. Kaba ADS Americas product portfolio transcends the asset protection category. Our wide-range of diversified and technologically advanced product groups include:

- Safe & Container Lock Systems
- Commercial Access Control
- Hotel Locks and Multi-housing Access Control Systems
- Physical Access Systems
- Embedded Access Control/Time & Attendance Systems

Kaba ADS Americas continually outpaces the security industry by delivering high-performance asset protection systems for a multitude of specialized applications. Our integrated end-to-end solutions are designed with a single goal in mind — protect people and property. Our brands represent the most trusted names in access control: Kaba; LA GARD; Simplex; E-Plex; ILCO; Saflok; Oracode; and Keyscan.

Our latest technologies incorporate remote access control, biometrics, wireless, GPS and mobile access solutions. Our quest to develop innovative yet practical



products is what differentiates Kaba ADS Americas and adds value to our brands.

Kaba – Beyond Security

Kaba is a leading provider of high quality, innovative access management solutions, keys, cylinders, physical access systems, enterprise data and time recording systems, and hotel access systems. The group is also a global market leader for high security locks, key blanks, transponder keys and key manufacturing machines. For more info, contact us: Kaba ADS Americas - 2941 Indiana Ave., Winston-Salem, NC 27101. Phone: 800.849.8324.

Email: info.accesscontrol.us@kaba.com
Request more information:
www.SecurityInfoWatch.com/12023830

KABA BEYOND SECURITY
www.kaba-ads-americas.com

DynaLock 2011-390 Electromagnetic Lock

The DynaLock 2011-390 Electromagnetic Lock is designed to be a dimensionally exact retrofit for the Locknetics 390+ maglock. It features matched mounting and wire entry hole locations, as well as coil and armature positioning, to precisely fit existing 390+ door and frame preparations. Rated for 1,200 lbs. holding force, the 2011-390 shares all DynaLock 2000 Series electronic options. The 2011-390 is made in the USA and carries the exclusive DynaLock® lifetime warranty.

Popular features include:

- Exact-fit replacement for the Locknetics Model 390+ MagLock
- Matched 390+ Series Mounting Hole & Wire Entry Locations
- Matched 390+ Series Coil & Armature Positioning
- Dimensions: 2-¾" H x 1-½" D x 10-½" L (Single); 20-5/8" L (Double, Model 2022-392)



- Holding Force: 1200 Lbs.
- Voltage: 12 or 24 VDC/VAC, Field-Selectable
- Current Draw: 220 mA at 24VDC / 440 mA at 12VDC (Single)
- 440 mA at 24VDC / 880 mA @ 12VDC (Double)
- Supports All DynaLock 2000 Series Electronic Options

Request more information:
www.SecurityInfoWatch.com/12023821

DynaLock
For Life™

www.dynalock.com

Kaba has a Solution for Every Door and Container Application.

It's well known our products secure every door and container application, integrate with existing infrastructure, ensure lasting performance, but mostly, they provide users and organizations with value-added benefits. Do you have an app for us?



BEYOND SECURITY


KABA®

Kaba Access & Data Systems Americas • 1.800.849.8324 • www.kaba-adsamericas.com

Copyright © 2014 Kaba ADS Americas. All rights reserved.

Request information: www.SecurityInfoWatch.com/10214145

Open Options' DNA Fusion & Mercury Security Deliver Open Architecture Access Control Software & Hardware




Open Options' DNA Fusion is the most IT-centric access control software on the market, and an integral partner of Mercury Security in delivering *open platform* security solutions for the last 15 years.

Open Options has developed DNA Fusion to allow access control customers to move beyond proprietary traps into a modern system with contemporary functionality, features and most importantly, a dynamic future of enhancements, network compatibility and options. Award-winning DNA Fusion includes access via a traditional client/server architecture and on-the-go with Fusion Mobile or Fusion Web. Flex API allows for seamless interfaces with leading systems including video, biometrics, intercom and more.

A Mercury Platinum Elite partner, Open Options distributes the Authentic Mercury line of access control hardware in addition to "Mercury Powered" products — including the NSC-100 and the DController — that provide comprehensive, top-of-the-line access control solutions.

The NSC-100 IP-Based Door Module eliminates traditional wiring by connecting directly to a user's network. The DController is a compact, IP-Based Intelligent Door Controller designed to quickly and easily add doors to any system using standard 10/100 network infrastructure. Both products allow for new IP deployments on all existing legacy Mercury installed systems, as well as a superior approach to newly specified requirements for edge-connected intelligent devices.

Request more information:
www.SecurityInfoWatch.com/11621990



www.ooinc.com/merc

RACK ARMOR™ Server Protection from IDenticard



It's time to RETHINK physical data security! RACK ARMOR™ server protection, by IDenticard® Access Control, is an award-winning physical access control solution that protects data at rack level. It restricts and monitors access to both front and back doors of server racks. This patent-pending system tracks who accessed the cabinets, when and the amount of time the cabinet doors were opened.

Its easy-to-use graphic interface includes dynamic mapping so you can quickly visualize the security status of your system across multiple locations. In the event of an alarm, quickly drill-down and pinpoint the exact location of the affected rack. RACK ARMOR sends automatic notifications through email, alarms and video-call-up when server racks are not secured.

IDenticard has been a Strategic Technology Alliance partner with Mercury Security since 2007. By using the Authentic Mercury Open Hardware platform, IDenticard has developed RACK ARMOR to provide the richest set of security features available:

- Easy graphic interface
- Monitors three access points per door
- Dashboard security management tool

Integrates with video management systems

- Multi-party control requires two valid cards to unlock the rack
- Remote lock, unlock, or lock-out of server racks
- Stores video logs of user activity
- Customized audit reports
- Plus FULL access control capabilities

Request more information:
www.SecurityInfoWatch.com/12023788



www.identicard.com/rackarmor




SARGENT 11 Line Bored Lock

SARGENT's Patented 11 Line lock sets a higher standard for Grade 1 bored locks. Its unique, T-Zone construction provides unequalled strength, durability and security by interlocking the lockbody and latch. Ideal for the most demanding environments within schools and hospitals to keep occupants and property safe and secure, the 11 Line easily exceeds ANSI/BHMA Grade 1 requirements for torque (2 times the standard) and cycle testing (18 times the standard). With 18 functions available, the 11 Line integrates into most existing facility's key systems and retrofits any standard cylindrical lock door prep. The 11 Line contributes to sustainability efforts with less lock replacements due to the long life and high post-consumer recycled content (68%). The design also simplifies facility maintenance and lowers the cost of ownership by utilizing a single lock body for all functions, requiring fewer inventoried parts. Flexible, durable, reliable — this lock can take whatever you give it.

Request more information:
www.sargentlock.com
www.SecurityInfoWatch.com/10836489

Pedestrian Door Lock from Sargent and Greenleaf



The S&G Model 2890B Pedestrian Door Lock (PDL) from Sargent and Greenleaf Inc. (S&G), a division of STANLEY Security is designed to meet both the stringent needs of NFPA 101 life safety and high-security requirements for government applications. The lock is also designed for Sensitive Compartmented Information Facility (SCIF) applications for U.S. military, fusion centers, defense contractors and others. Designed to FF-L-2890B federal specifications to include a UL 3-Hour Single Door Fire rating, the lock is available in a variety of styles. Features include the ability to integrate the S&G Model 2740B electromechanical combination lock, as well as other combination locks approved to federal specification FF-L-2740B. Pinch-proof strikes are available for in-swing, out-swing and double-door applications.

Request more information:
www.sargentandgreenleaf.com
www.SecurityInfoWatch.com/12020734

Detex Delayed Egress with Latch Retraction



Advantex Delayed Egress with Latch Retraction (EExER) from Detex is designed for applications where both delayed egress and remote unlocking, remote dogging, access control or an automatic door operator is desired. An optional EX Request to Exit Switch may be added for push pad monitoring or LX Switch for latch bolt monitoring. The 100 dB alarm, will sound when someone attempts to exit but the door will remain locked for 15 seconds, deterring unauthorized exits and providing time to respond to the alarm. Ideal for restricted areas, access controlled doors, and any door requiring authorized entry or exit, while preventing unauthorized entry or exit. Perfect for fire-rated, cross corridor, access controlled, delayed egress doors with automatic operators, all without using magnetic locks or electric strikes.

Request more information: www.SecurityInfoWatch.com/10524436



A Perfect Fit

Let DKS Access Control Solutions Put Your Pieces Together

From single family residential to full size commercial and maximum security – swing and slide gate operators, doors, parking and access control – get it all from the manufacturer that's been at it for more than 65 years.

Only one company offers complete Access Control solutions: from planning assistance, to manufacturing, service, and support – since 1948, one company does it all – DoorKing.

Contact us today and let us show you how DKS can simplify your life.



For more information:
doorking.com
800-673-3299 info@doorking.com

Parking Control Access Control Telephone Entry Gate Operators

Request information: www.SecurityInfoWatch.com/10213482



S2 Netbox Supports Mercury Authentic Hardware

S2 Security Corporation, the leader in IP-based integrated physical security systems, has been a Mercury Security partner since 2010. S2 Security support for Authentic Mercury EP Series hardware allows users of legacy access control systems to easily transition to S2 NetBox® or S2 Enterprise® web-based systems without re-investing in new field hardware.


S2 Security supports Casi Micro/5 upgrades using the Mercury M5 Bridge. This replacement utilizes plug-and-play Authentic Mercury hardware that reuses existing Micro/5 enclosures, power supplies and wiring, providing a low-effort upgrade.

S2 Security support for Authentic Mercury hardware also enables seamless integration with Allegion Schlage AD-400 wireless locks. In retrofits, the AD-400 wireless locks, which do not need to run wires direct to each opening, can extend the reach of access control systems.

Request more information:
www.SecurityInfoWatch.com/12023781



www.s2sys.com



BluBOX



- CLOUD
- MOBILE
- BIOMETRIC
- UNIFIED
- OPEN
- SMART

A simple yet powerful web based hosted security software platform that unifies all major security applications and works on any device, anywhere, anytime and any browser. Nothing to install, easy to use and easy to support.

An open IP based hardware platform using tried and true Authentic Mercury components and the industry's first person reader that replaces cards and card readers altogether. More convenient, more secure, easy to install and reliable.

Request more information:
www.SecurityInfoWatch.com/12023763
www.BluBOX.com



4200 – The Electric Strike Game-Changer from Trine

The 4200 from Trine is THE cylindrical lock and deadlatch One Box solution. A 1 1/16" shallow backset works great in tight installations such as aluminum and concrete filled frames. This electric strike comes with 4 different faceplates in the box, which means you will always have the right plate for the job. Our low current draw and ability to accept 12 and 24 DC, 12-24 AC voltage means you never need to worry about power.

Trine has changed the market with the 4200's removable fascia. For decades, changing the faceplate finish (which you see 5% of the time) didn't mean changing the black ramp (which you see 100% of the time). Now the fascia and trim skirt can be changed to match the color of the frame making the best installation possible.

This electric strike has the tallest latch cavity in its class, nearly twice what the competition offers. This provides flexibility for installers with everyday door problems to make adjustments in the field and get off the job quickly. The flexibility of the 4200 is revolutionizing how electric strikes are perceived.

www.trineonline.com/4200.php



For more information and specifications on the new 4200 electric strike solution, visit the website below.


Request more information:
www.SecurityInfoWatch.com/11416076



RS2 Technologies Step UpSM System

The **Step UpSM System** is the latest in RS2's line of access control solutions that allow customers to enjoy the benefits of an open platform approach at a reasonable cost and with a minimum of installation hassle. The **Step UpSM System** is a reliable, easy-to-install hardware retrofit offering a simple board swap of boards currently installed in legacy systems. By using Authentic MercuryTM legacy replacement hardware, **Step UpSM** provides a "screwdriver-less" retrofit of outdated and unsupported installations that use proprietary hardware & software.

By working in partnership with Mercury Security, RS2 is able to provide customers who have previously-installed legacy systems with a solution that saves their entire investment in peripheral and network wiring, reader technology, enclosures, and power deployment. Labor costs are also minimized compared to entire system replacements. By using a **Step UpSM** replacement unit, customers can simply remove the connectors from the legacy board, remove it from the enclosure, replace it with the corresponding **Step UpSM** board, refit the connectors and power up. The bridged hardware is now



open platform, reliable, and uses current technology. System downtime is also minimized, as all boards are "hot swappable," meaning that replacements or additions can be installed while the enclosure is powered up and running the system.

To find out more, call 877.682.3532 or visit the website below.

Request more information:
www.SecurityInfoWatch.com/12023792



IN120 WiFi Locks from SARGENT and Corbin Russwin

The IN120 WiFi lock, available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, offers the ease and flexibility of WiFi in a new streamlined design, setting a new standard for aesthetics and performance.

The IN120 enables more cost-effective installations, allowing facilities to expand access control to more doors. Ideal for use in hard-to-wire locations, the IN120 uses standard IEEE 802.11b/g/n Wi-Fi connectivity to connect to the access control system, significantly reducing installation costs, and eliminating the need for proprietary equipment. It features integrated ANSI/BHMA Grade 1 hardware, available in cylindrical and mortise lock configurations, with choice of black or white reader and a range of finishes and levers.

The IN120 uses HID® multiCLASS SETM technology, which provides heightened

security, supports multiple credential types, and enables NFC mobile access. The IN120 supports current Wi-Fi security standards including WEP, WPA, WPA2 and 802.1x and uses AES 128-bit encryption. In addition, the WiFi radio is field-upgradeable, making it future proof for evolving Wi-Fi standards.

The ASSA ABLOY IN120 offers a customizable feature set, allowing customers to select only the features they need or add features as their requirements grow. The IN120 also offers local lockdown and privacy mode capabilities on both cylindrical and mortise lock configurations. Adding to its versatility, the IN120 works with a broad range of industry-leading access control systems.

Request more information:
www.SecurityInfoWatch.com/1118333



www.intelligentopenings.com/IN120



Keyscan Family of Products from Kaba Group

Keyscan, a member of the Kaba group, offers access control solutions for businesses, organizations, and institutions that provide a convenient platform to integrate with other components that manage and monitor building security.

Renowned for product quality and customer support, Keyscan systems are built on a foundation of versatility, flexibility, and scalability. Keyscan's team of professionals are dedicated to designing and building access control systems that address today's real-world security challenges. Every control panel is meticulously assembled and thoroughly tested before it's packed and shipped. And, Keyscan's access control management software applications offer a rich array of security features in an easy-to-operate layout. Whether your organization or business is a small regional enterprise or a multinational corporation, with locations around the globe, Keyscan has the right access control solution that gives you total control from one system.



Kaba – Beyond Security

Kaba is a leading provider of high quality, innovative access management solutions, keys, cylinders, physical access systems, enterprise data, time recording systems and hotel access systems. The group is also a global market leader for high security locks, key blanks, transponder keys and key manufacturing machines. For more information, please contact us: Keyscan Inc. - 901 Burns Street East, Whitby, Ontario, Canada, L1N 0E6. Toll Free Canada or USA: 1.888.539.7226; Elsewhere: +905.430.7226. Email: sales@keyscan.ca.

Request more information:
www.SecurityInfoWatch.com/12023836



Corbin Russwin Access 700[®] IP-Enabled Campus Access Control Locks

Corbin Russwin Access 700[®] IP-enabled campus access control locks offer an ideal solution for forward-thinking campuses. Now featuring HID® multiCLASS SETM technology, the Access 700 PoE and WiFi locks offer multi-layered security and simultaneous support for multiple industry-leading credentials. Ideal for mixed credential environments, these locks allow an easy transition from magnetic stripe to higher security technologies and are SeosTM-enabled for use with NFC-enabled mobile smart phones.

Using the facility's Ethernet network, the Access 700 PIP1 Power over Ethernet (PoE) provides full online access control with standard network cabling and minimizes energy consumption. Ideal for adding access control to areas of a building that would be too difficult or costly to wire, the Access 700 PW1 WiFi lock uses 802.11b/g/n infrastructure to significantly reduce hardware and labor costs.

Combined with ASSA ABLOY's PERSONA CampusTM software or with approved



third-party software, Access 700 locks integrate seamlessly into transactional and housing systems, providing comprehensive, reliable access control for the campus environment. They integrate all standard access control components into a single device — ANSI/BHMA Grade 1 lock or exit device, controller, card reader, door position switch and Request-to-Exit sensor — and are available in mortise lock, cylindrical lock, or exit device configurations.

Request more information:
www.SecurityInfoWatch.com/10217718



<http://info.intelligentopenings.com/campus>

Alarm Lock's Trilogy Series with School Access Control Vulnerability Index

Alarm Lock offers the leading, largest line of electronic PIN/Prox access locks: Trilogy[®] and network-controlled wireless Trilogy NetworxTM for all door types, locks and keypads. Ideal when budgets, time or hardwired-system capacity runs short, you can use the same HID Prox ID cards, yet deploy in an hour, downtime-free, a door at a time, at less than a third of the cost.

Alarm Lock's Trilogy[®] Access Locks are ideal in case of emergencies, as these advanced wireless locks can provide schools, hospitals and business campuses immediate lockdown by pressing a button on a pocket-sized remote keyfob.

Alarm Lock's DL3200 standalone Trilogy Lock provides keyfob-activated classroom lockdown, from safely inside the classroom, with a typical range of up to 100'.

For a global lockdown solution that also eliminates door-to-door operations, Trilogy NetworxTM can be locked down or unlocked campus-wide in under 10-seconds, from a keyfob, wireless panic button or from the school server.



SAVI, the Security Access-Control Vulnerability IndexTM was created for security professionals to use as an objective, brand-agnostic audit tool to evaluate any school's access control vulnerability. On an easy electronic form, you simply enter the kinds of security in place to both get their score, plus next steps for improved security. To become a certified SAVI professional, call 1-800-ALA-LOCK for training or email SAVI@alarmlock.com.

Request more information:
www.SecurityInfoWatch.com/11238845



ALARM LOCK

www.alarmlock.com



Access Solutions from Marks USA

Marks USA was established in 1977 as a mortise lock manufacturing company that would meet the needs of an expanding market. Since then, the company has grown and expanded its' product line to include residential, institutional and commercial locksets to meet and exceed the most stringent UL and ANSI specifications. Marks USA has the capabilities to produce both standard and custom items. The company employs talented personnel who possess the ability to think "outside the box." This kind of thinking has given Marks USA its niche in the contract hardware industry. Marks USA's product lines include architectural grade, BHMA & UL code compliant mortise, cylindrical & tubular locksets, electronic access control, biometrics, hospital/life safety & anti-ligature locksets, ornamental iron locksets, HI-SECURITYTM cylinders, panic devices and door closers.

www.marksusa.com
Request more information:
www.SecurityInfoWatch.com/10217302

Meet the Wi-Fi Enabled Door Lock with Remote Control from Any Distance.

Wi-Fi Connected Door Locks for Home or Office.

For your Home...

- Connect to existing Wi-Fi routers
- Remotely monitor and control your home from any where
- Receive alerts for lock events
- Instantly provide access to neighbors or contractors



For your Office...

- Monitor when your employees are coming and going
- Add or remove employee access remotely
- No on-site server or workstation needed

Visit www.RemoteLock.com

RemoteLOCK

Request information: www.SecurityInfoWatch.com/12023740

New Stand-Alone Card Reader from DoorKing



DoorKing has introduced a new, low cost, stand-alone card access system for single door or gate applications. The 1524 can store up to 1000 card codes and is easily programmed with a hand-held programmer.

The Model 1524 card reader is a single-door (or gate) low cost system that is ideally used in applications where card access control is desired, but there is no need for time zones, security levels or event reporting. The 1524 will store up to 1000 card codes. Card codes can be added or deleted in blocks or individually by using a small hand-held remote programmer, or by using programming cards.

Richard Sedivy, DoorKing's Director of Marketing stated, "The 1524 is a great option for people looking for a simple card access system. Dealers now have another option to offer their clients an easy to use,

easy to program, low cost single-door access control device."

The 1524 is ideal for both indoor or outdoor applications and is available as a mullion mount reader, or can be ordered with a lighted enclosure for gooseneck post mounting.

For additional information, visit the company's website at the link below or contact the DoorKing Sales Department at 800-826-7493. DoorKing Inc., is one of the largest and oldest manufacturers of access control and vehicular gate operator products in the country.

Request more information:
www.SecurityInfoWatch.com/12023737



SARGENT Passport 1000 IP-Enabled Campus Access Control Locks

SARGENT Passport 1000 P1 and P2 Power over Ethernet (PoE) and WiFi locks leverage existing network infrastructure to provide advanced security and easier, more cost-effective installations. Designed specifically for the campus environment, the IP-enabled access control locks feature HID® multiCLASS SET™ technology for a future-proof solution. With simultaneous support for multiple credentials, they offer an easy migration path to higher security credentials and NFC mobile access.

Recognized for its contribution to sustainable buildings, the Passport P1 re-uses existing IEEE 802.3af PoE infrastructure, streamlines the installation process, reduces costs and components, and minimizes power consumption. The Passport 1000 P2 uses IEEE 802.11b/g/n WiFi technology, completely eliminating any wiring, significantly reducing installation time and enabling access control in more locations.

Combined with ASSA ABLOY's PERSONA Campus™ software or with approved third-party software, Passport 1000 locks integrate seamlessly into transactional and housing systems, providing comprehensive, reliable access control for the campus



environment. They integrate all standard access control components into a single device — ANSI/BHMA Grade 1 lock or exit device, controller, card reader, door position switch and Request-to-Exit sensor — and are available in mortise lock, cylindrical lock or exit device configurations.

Request more information:
www.SecurityInfoWatch.com/10216599



www.intelligentopenings.com/campus



CL3100 Series Lock from Corbin Russwin

Corbin Russwin's CL3100 Series is the ideal solution for the toughest environments within education and healthcare facilities. With unique, patented T-Zone lock construction where the lockbody and latch tube interlock in the critical twist area, the CL3100 will last the lifetime of a facility. Tested to over 15 million cycles and over 3000 inch lbs. of torque, the vandal resistant lock provides strength and durability that easily exceeds ANSI/BHMA Grade 1 requirements for torque and cycle testing. And, because few components are required when changing the lock function, the design simplifies facility maintenance and lowers the cost of ownership.

Available in 18 functions with 12 hardware finishes including an anti-microbial coating to supplement cleaning protocols for healthier environments, the CL3100

Series integrates into most existing facility's key systems and retrofits most standard 161 cylindrical lock door preps.

In addition, the CL3100 Series contributes to your sustainability effort with less lock replacements due to its long life and high post-consumer recycled content.

Flexible, strong, and durable — this lock can take whatever you give it.

Request more information:
www.SecurityInfoWatch.com/10836842



Dynalock 3101C Series Delayed Egress Lock



DynaLock Corp. is pleased to announce the launch of a Third-Generation, redesigned 3101 Series Delayed Egress Lock — The 3101C Series.

Hallmarks of the 3101C design include a complete electronics update, incorporating the following significant enhancements:

- 12/24 VAC/VDC auto-input voltage detection.
- Up to 49% reduced current draw.
- Advanced residual magnetism mitigation circuitry.
- Full, backward-compatibility of circuit board with 3101B Series legacy product.
- Field-programmable firmware, via on-board USB interface (Legacy product currently requires hardware re-purchase, to modify firmware, to address special code/sequencing requirements).

The 3101C is mechanically-identical to the current 3101B Series Delayed Egress Lock. Mounting procedures and templating remain unchanged, to facilitate retrofits of existing 3101B Locks. As the 3101C's terminal layout is identical to the 3101B Series, wiring procedures will also be transparent to experienced 3101B field technicians.

With the introduction of the 3101C Series, all production of the outdated 3101A Series, first-generation lock will be discontinued as/of April 1, 2014. Returns will continue to be serviced under the terms of the DynaLife® Lifetime Warranty.

New purchase orders for 3101B Series Locks after March 1, 2014 will be upgraded to the 3101C Series product, at no additional cost to the customer. The 3101B Series will remain available upon specific request and for OEM partners, until further factory notice is given.

Request more information:
www.SecurityInfoWatch.com/12023825



WinDSX AES-256 Encryption Software

The WinDSX AES-256 encryption software from DSX Access Systems contains government approved AES-256 bit encryption technology that can be implemented system-wide.

Encryption capabilities are built into the software and every field controller. For example, communications to each Location in WinDSX AES-256 can optionally be encrypted with a unique encryption key assigned by the customer for communicating with that Location's field controllers.

This is but another tool for DSX Integrators in meeting government requirements and FIPS compliancy just like the recently achieved UL 1076 listing.

Once purchased and enabled in the DSX Features Key, there is an Encryption Key that can be implemented to encrypt communications between the Comm Server and the Workstations.

There is also an encryption key that can be implemented optionally and individually for each location. Once communication is encrypted from the Comm Server to the



Master Controller, the encryption is propagated to all controllers in that location.

Request more information:
www.SecurityInfoWatch.com/10271691



Farpointe Data Long-Range Identification Receivers



Users of Farpointe Data's new WRR-22 and WRR-44 433 MHz receivers can use either two-button or four-button transmitters to open two or four different doors from ranges up to

200 feet (61 m). Each button outputs transmitter data over separate Wiegand outputs, yet the receiver installs just like a Farpointe Pyramid Series proximity reader for easy integration with popular proximity or contactless smart card access control systems. Available in either a two- or four-button configuration and equipped standard with a weather-resistant potted proximity or contactless smart card module, the transmitter can be used as a presentation-style access credential. Using standard 26-bit Wiegand protocol and featuring standard mounting holes, they can be used as "add-on" or "wire-in" receivers. www.farpointedata.com

Request more information: www.SecurityInfoWatch.com/11749017

Liberty CUBE Access Control from Viscount Systems



The Liberty CUBE web-based access control network appliance from Viscount Systems is designed to provide web-based access control for small- to medium-sized installations with up to 32 readers. Intuitive and easy to use, the solution simplifies access control with a cost-effective, all-in-one appliance. A true IP solution with no proprietary control panels within the system, it enables each card reader to become an IP device on the network that is operated through a compact web appliance. With the solution, there is no need to purchase expensive door control panels. It is available as a 16- or 32-door bundled appliance, and includes features such as emergency mustering, elevator control, video integration and robust I/O configuration.

www.viscount.com

Request more information: www.SecurityInfoWatch.com/12015206



Dortronics 107xD Maglock and 1107xEDR Delayed Egress Actuating Maglock

The 1107xD maglock and the 1107xEDR delayed egress actuating maglock from Dortronics Systems can be used for a variety of door and frame types. Both units deliver fail-safe operation, releasing instantly upon command or loss of power. The 1107xD is designed to fit narrow style header applications. Its 1 1/4-inch depth reduces the need for angle mounting brackets and filler plates. An onboard concealed door position switch can be used to report door status to an access panel or door prop alarm. The 1107xEDR operates with the 7101-P Delayed Egress Panel and is designed with a field-adjustable actuator that senses door movement. Both are NFPA 101 and BOCA compliant and are UL 294 access control certified.

www.dortronics.com

Request more information:
www.SecurityInfoWatch.com/11706553

www.SecurityInfoWatch.com

Smooth Operator for Life: Cylindrical Survivor™ Lockset Outlasts All

MODEL 195 CYLINDRICAL LOCKSET

- 3 Times the BHMA ANSI Grade 1 Spec — Over 3.6 million cycles
- Higher quality, longer lasting, lower maintenance design
- Competitively-priced for exceptional value
- Unique stainless steel "retractor" with bronze bearings dramatically reduces wear & abuse
- Marks Lifetime Mechanical Warranty
- 3-Hour Fire Rated; 2-3/8" and 2-3/4" Backsets

Built to stand up, ask your Marks distributor or Rep today.




Request information: www.SecurityInfoWatch.com/10214311

Access Control & Door Hardware

CA3000 Enterprise Security Software from Continental Access

Continental Access, a division of Napco Security Technologies Inc., has released CA3000 version 2.9 software that not only provides robust access control functionality and seamless integration with alarms, locking and a growing list of video systems, but offers a host of many sought-after features, including the ability to run the CardAccess 3000 and associated applications as Windows services and the ability to control access to the CardAccess GUI using Lightweight Directory Access Protocol (LDAP).

Support for the Continental's new and robust Super-Speed 16-door Accelerom Controller is also available. Plus, more video integration partners have been added to their growing list, now including Pelco, HiTron, Milestone, Dedicated



Micros, as well as Salient and Integral.

New CA3000 v2.9 also includes many enhancements to the existing features, providing the front-end of Napco Fusion, it is the complete seamless interoperable solution for Gemini Intrusion & Fire Systems, access control, video and wireless locks. The CardAccess 3000 version 2.9 software also provides additional support for sister division, Alarm Lock's Trilogy Network locks, now in both cylindrical and mortise models, with the utilization of a Door position contact and Request To Exit (RTE) button feature.

Continental offers training classes across the country and free online webinars, as well as retrofit rebate programs and cost-saving software upgrade plans.

Request more information: www.SecurityInfoWatch.com/10834305



Secure Everything from Doors to Drawers

Aperio is a global wireless platform that allows you to expand your access control footprint — quickly, easily and affordably — using existing platforms you trust. Available across a broad range of locking hardware from ASSA ABLOY Group brands, Aperio

provides the flexibility to address a variety of applications throughout any facility. Aperio wireless devices include: Adams Rite A100 keyless entry control for aluminum and glass doors, HES K100 cabinet locks and KS100 server cabinet locks, Medeco M100 eCylinders, SARGENT IN100 and PR100 commercial and institutional locks, and Securitron AS100 door position sensors and R100 surface mounted readers. **Request more information:** www.intelligentopenings.com/aperio

HID Mobile Access Solution

The HID Mobile Access solution from HID Global includes everything necessary for organizations to immediately begin using Bluetooth Smart and NFC-enabled smartphones and other mobile devices as an alternative to keys and smart cards. The solution also makes it possible for users to unlock doors and open gates from a distance using the company's patented "Twist and Go" gesture technology. It is used with the company's mobile-enabled iCLASS SE and/or multiCLASS SE readers, and includes Mobile IDs, HID Mobile Access Apps and access to the HID Secure Identity Services portal for managing users and issuing or revoking Mobile IDs. The mobile-enabled readers are interoperable with 125 kHz HID Prox and high-frequency technologies including iCLASS Seos, iCLASS SE, standard iCLASS, MIFARE and MIFARE DESFire EV1. **Request more information:** www.hidglobal.com



Request more information: www.SecurityInfoWatch.com/11706496



Sargent 80 Series Exit Device with Lock/Unlock Indicator

Ideal for use in educational facilities on wood or metal doors, the Sargent 80 Series rim exit device offers an easy way to lock the outside trim from the inside without opening the door and putting people in harm's way, providing the best combination of durability, simplicity, strength, aesthetics and innovation.

The Lock/Unlock Indicator option (49-) provides a visual means of determining if a door has been secured by the cylinder on the inside of the room. Available on new or existing devices with a double cylinder function, the visual display eases concerns about knowing if doors are locked because the indicator reminds the occupants.

The indicator is located on the exit device chassis displaying a red icon when

the device is locked and a white icon when the device is unsecured.

The indicator is housed in the chassis cover with no protruding parts and a clear window to protect it from wear and abuse so the indicator cannot be forced or bent or interfere with the function of the device. **Request more information:** www.SecurityInfoWatch.com/12023754



Geared Continuous Hinges from Select

Do your customers complain about a "problem door?" Chances are, the problem isn't the door. Or even the lock. Fix the real problem — worn out butt and pivot hinges — and deliver total door service with SELECT geared continuous hinges. A SELECT geared continuous hinge surpassed 25,000,000 open/close cycles in laboratory testing — equivalent to 60 years of high-traffic use and 10 times beyond BHMA Grade 1 cycle count. That's why we can offer the industry's only Continuous Warranty™, a warranty that never expires. SELECT hinges eliminate hinge repairs forever and are ideal for high-traffic doors in retail storefronts, schools, convention centers, sports facilities, airports and other public buildings. Call 800-423-1174 or visit www.select-hinges.com. **Request more information:** www.SecurityInfoWatch.com/10271917

System Galaxy v10.4 Access Control Software

System Galaxy Access Control Software v.10.4 from Galaxy Control Systems features a range of enhancements including: Support upgrades for integration with ASSA wi-fi locks, inclusion of a DSI-based RS485 input module to reduce cost of installation and provide faster data rates, and a log distributor to support SSL SMTP mail servers such as Gmail. System upgrades include an internal rework for more robust services, and improvement of error behavior when the database connection is severed. Galaxy Systems' new TCP/IP network appliance comes with System Galaxy v.10.4 embedded, which dramatically reduces installation time. By launching a shortcut from any LAN-connected PC, users can connect to the network appliance, which are pre-configured and offer support for a pre-determined number of doors. **Request more information:** www.galaxysys.com



Request more information: www.SecurityInfoWatch.com/11703686

RemoteLock from LockState



RemoteLock from LockState gives you remote control of your door lock over the internet from your PC or smartphone. The RemoteLock replaces your existing lock and connects to the Wi-Fi router already in your home. This Wi-Fi connected smartlock gives you the ability to check the lock status and lock or unlock remotely from anywhere in the world. From your online account, you can add and delete access codes, set access schedules, and check access history. RemoteLock is part of the LockState Connect product line. Founded in 2004, Colorado-based LockState brings the power of the internet and remote control to common devices such as door locks, thermostats, power

plugs and more so that home and business owners can stay connected with their properties. www.lockstate.com

Request more information: www.SecurityInfoWatch.com/12023741

Two-Door Access Control System from Vanderbilt Industries

Vanderbilt Industries' lite blue two-door web-based access control system features the same easy-to-use software as the company's bright blue Intelligent Access Management System and is easily upgradeable to a full 32-door system. Lite blue controllers include two on-board reader interfaces, thereby allowing for easier installation and enhanced cost savings. Built on the Authentic Mercury controller platform, it supports standard Wiegand devices, Schlage AD Series electronic locks, and various card formats and technologies such as proximity, smart card, magnetic stripe and Bluetooth. It does not require special software or a dedicated PC. Key features and benefits include support for up to 2-8 doors and 5,000 cardholders; remote access via web-browser; single action facility lockdown via credential, external push-button or software; and email event notification. www.vanderbiltindustries.com **Request more information:** www.SecurityInfoWatch.com/11622196



HES Redesigned 9600 Series Electric Strike

HES, an ASSA ABLOY Group company, has introduced the redesigned Grade 1, wind-storm-rated 9600 Series electric strike that includes a magnetic template to make installation even easier. The updated 9600 Series is stronger, sleeker and easy to install, as it is completely surface-mounted with no cutting required. It has been re-engineered for greater strength and durability, with an increase of 25 percent static strength and 40 percent dynamic strength, verified by a nationally recognized testing laboratory. It is designed to work with rim exit devices up to ¾" throw latchbolt, and has been aesthetically re-designed with a stainless steel cover in six finishes to match any décor. www.hesinnovations.com **Request more information:** www.SecurityInfoWatch.com/11622212



www.SecurityInfoWatch.com



School Security Solutions from SARGENT & Corbin Russwin

Available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, stand-alone access control locks offer unique functionality that is ideal for classroom applications. Providing easy everyday access to the classroom using a PIN code or prox card, the Access 800® AC2 and Profile Series v.G1.5 also provide the ability to lock the door quickly with an RF fob from almost anywhere inside the room. Simple and effective, the

Corbin Russwin and SARGENT stand-alone locks with RF panic button functionality combine innovative technology with practical application. This solution enables easy everyday access to classrooms, and provides extra assurance in the event of an emergency.

www.assaabloydss.com/schoolsecurity

Request more information: www.SecurityInfoWatch.com/12023758

Secura Key's NOVA.16 Four-Door Access Control Kits



Secura Key now offers four-door Access Control Kits featuring its 16-door control panel, NOVA.16, at a discounted kit price. The four-door kits include the NOVA.16 control panel, SK-NET software, a DC power supply and four Smart Readers. All users need to add is cards, cabling and door locking devices. Kits are available in either Radio Key/HID Dual Technology proximity or e*Tag contactless technologies in either mullion or wallswitch style readers. Nova.16's system architecture provides significant reductions in installation labor and cabling costs by eliminating home run cabling back to the control panel. The Smart Readers support all the local connections at each door and only require data and 12 VDC reader power from the control panel, which can be daisy chained from reader-to-reader. www.securakey.com

Request more information: www.SecurityInfoWatch.com/11677732

Tools of the trade

SL57 THE UNIVERSAL RETROFIT HINGE



SELECT HINGES™ 800-423-1174 selecthinges.com/wbb

Request information: www.SecurityInfoWatch.com/10215943

NAPCO Commerical Addressable Fire or Gemini Combo Burg/Fire Systems

Napco Security Technologies Inc.'s Commercial Platform is a full line of Commercial Fire or Combo Intrusion/ Fire Systems configurable for wireless, hardwire, analog, addressable or conventional technology devices.

Now offering speedier setup and installation with new Quick-Start faster programming, the UL commercial grade wireless fire & Burglary devices are installed in a fraction of the time. There is a new fire-only program menu and standard fire alarm system preset template you can build on. All you will need to do is enter the quantity and type of devices — they will be auto-inserted, mapping inputs to outputs that are clearly color-coded.

Auto-Learn discovers and identifies addressable devices on loops. It will preload descriptions, e.g., "smoke detector" — and list the quantity of modules, sensors and relays for each. Fast Track Diagnostics automatically distinguish minor warnings from critical errors. Enhanced battery and voltage calculators are also included.

The NAPCO Commercial Platform includes



built-in labor savings, incredible power, and feature-rich value that's easy to plan-out and standardize on for 255, 128 or 32 points of commercial wireless, analog addressable and/or 12V conventional installations; and it is fully compliant with the most rigorous industry standards, including UL864 9th Ed., NFPA72, SIA CP01 and more.

Features include easy AHJ calcs; up to 32AH standby separate for burglar and fire; and remote/onsite uploadable smoke sensitivity reporting.

Request more information:
www.SecurityInfoWatch.com/10524477

NAPCO
www.napcosecurity.com

WDE Easy Kits from Detex

The WDE EasyKits from Detex provide a secure two-point locking system with 15-second delay and 100dB alarm when someone attempts to exit. The WDE EasyKit is designed for outdoor applications and is perfect for garden center gates, amusement parks, sports arenas and any location exposed to weather or moisture where delayed exit is required. Although ideal for retail helping prevent theft, in applications such as outdoor child-care and assisted living homes, WDE EasyKit can also be used to help protect those trying to exit. Use a standard WDE EasyKit such as WDE10EXx1S-1 or call to create your custom EasyKit, all EasyKits include best-in-class components and easy to follow wiring and riser illustrations. www.detex.com

Request more information: www.SecurityInfoWatch.com/10217290



Wireless Intrusion Detection Line from DSC

DSC's range of PowerG-enabled intrusion detection devices include the PG9904P PIR Motion Detector, the PG9905 Temperature Detector, the PG9916 Smoke & Heat Detector, the PG9924 Curtain PIR Motion Detector, the PG9926 Smoke Detector and the PG9934P Motion Detector with Integrated Camera. Compatible with DSC's PowerSeries Neo platform, the detectors offer 128-bit AES encryption, high transmission ranges for reliable communication within up to a 1.25 miles line of sight and TDMA synchronized communication technology to prevent message collision. Also part of the PowerG series are the PG9938 Wireless PowerG Panic Key and the PG9939 Wireless PowerG 4-Button Key, which enables users to arm and disarm the system or call for help. Other products include sirens and door/window contacts. www.dsc.com

Request more info: www.SecurityInfoWatch.com/11367364

IS3000 and DT8000 Series Motion Detectors from Honeywell

Honeywell's IS3000 and DT8000 Series of hardwired sensors includes seven high-performance indoor motion detectors that range from basic residential to complex commercial applications. Featuring exclusive Snap & Set installation technology, the sensors integrate fully with Honeywell Total Connect Remote Services when used with VISTA control panels. Features include: Advanced Mirror Optics, which provide superior accuracy at lower energy thresholds for better detection and fewer false alarms; high temperature detection, which delivers 25 percent better detection range in high-temperature environments; robust pet immunity; protection against intruders attempting to block the field of view with sprays or liquids; and white light immunity, reducing false alarms caused by lights, flashlights or reflective objects. www.honeywell.com/security

Request more information: www.SecurityInfoWatch.com/11652154

Intelligent Quad Photoelectric Beams from Takex

The TAKEX PB-IN-HF series Intelligent Quad Photoelectric Beams are available in ranges from 165 Feet/50 meters, 330 Feet/100 meters or 660 Feet/200 meters. Each features high performance Double-Modulated infrared light sources and a resonance filter to remove unwanted background noise. The beams have 50,000 Lux of external light immunity. Other features include: Phase Locked Loop, which monitors performance in changing environmental conditions; Auto-Gain Lock, which allows high tolerance of signal degradation before issuing an alarm; and Auto-Gain Control, which allows the photo beam receiver to increase its sensitivity up to 300 percent to maintain protection integrity. Each set includes pole mounting hardware and a stainless steel back plate for wall or post mounting. www.takex.com

Request more information: www.SecurityInfoWatch.com/11416057



Keypads for Interlogix NetworX systems

Interlogix has introduced three new keypads for its NetworX intrusion system, including a 3.5-inch color touchscreen with built-in message board for recording voice messages, 192-zone capacity, eight partitions and 16 outputs. An advanced touch LED keypad provides Interlogix's exclusive Personal Voice Guide. It includes individually lit, color-coded touch response keys, recorded voice memos and a built-in intercom that allows family members to talk to each other from up to eight locations. A voice navigation LED keypad also features the Personal Voice Guide, voice-enabled status key, and a built-in word library for customized voice labels for zones, areas and outputs. It also offers 16-zone capability and fire, medical and panic keys.

www.interlogix.com
Request more information:
www.SecurityInfoWatch.com/11706491



All-in-One Alarm Panel from Honeywell

Honeywell's LYNX Touch 5200 all-in-one system allows dealers to offer an enhanced user experience while reducing costs. Consumers can view live, IP video on-demand directly on the panel's 4.7-inch vivid color touchscreen. In addition to two-way voice over GSM, the unit offers two-way voice over Wi-Fi, which streamlines installation. The Honeywell LYNX Connect app enables users to view live video feeds and control systems from an iOS or Android device. The unit supports single-camera viewing when used with Honeywell Total Connect Video products: the iPCAM-PT, iPCAM-WO, iPCAM-WI2/B and ACU. With the exclusive Honeywell LYNX Connect app, users can also view live video feeds and control their systems from an iOS or Android device, even without a Honeywell Total Connect account. www.honeywell.com/security

Request more information:
www.SecurityInfoWatch.com/11518117

Telguard CDMA Cellular Alarm Communicators

Telguard has introduced a full line of CDMA cellular alarm communicators for the Verizon Wireless network, adding the TG-4 (pictured) and TG-7 series of communicators to its TG-1 Express. The CDMA products offer another cost-effective alternative for 2G (GSM) replacements in preparation for the 2G Sunset. Additionally, the products are ideal for mountainous and rural areas where cellular coverage may be challenging. The products support virtually all alarm formats using dial capture for universal panel compatibility, are UL Listed, easy to install and economical. The TG-4 CDMA and TG-7 CDMA series are eligible for Telguard's Upgrade Incentive Program, where every time a GSM unit is upgraded with a Telguard CDMA unit, a dealer can receive up to \$25. www.Telguard.com

Request more information: www.SecurityInfoWatch.com/12024248



Detex Works Here.

Where Trust Is Built

Detex offers a wide range of life safety and security door hardware products that are durable, easy to install, innovative, and architecturally designed. Engineered to withstand high use and high abuse, Detex hardware has evolved with the help of customer input, backed by decades of experience in the marketplace. From classroom doors to service entrances and operating rooms to main entrances, every application is covered by Detex.

For more than a century, Detex has earned the trust of millions to secure and protect people and property. Detex, a USA company, designs, manufactures, markets and ships our products from New Braunfels, TX and is recognized as a best-in-class life safety, security and security assurance manufacturer, worldwide.

See how our products and systems will work for your needs. Check out www.detex.com or call us at 1-800-729-3839.

Request information: www.SecurityInfoWatch.com/10213445

This is YOUR Central Station
Our services are unique.

Monitoring America is not for sale and will never be sold.

We are a "Not for Profit" business.

SERVICE. Not Profit is our Primary Goal.

Work with a Partner not a Competitor.

Call today and take advantage of our unique benefits.

See us at ISC West

Monitoring America alarm co-op

918-622-4357 • 800-879-1438 • Fax: 918-663-8897
3025 S. 116th Ave. • Tulsa, OK 74129-5223
www.monitoringamerica.com
info@monitoringamerica.com

Request information: www.SecurityInfoWatch.com/10490593



Fire Suppression Solution from Mircom

Mircom's FX-3500 Intelligent Fire Alarm & Suppression Systems include powerful and intelligent fire alarm control units, which support Advanced Protocol (AP) as well as Classic Loop Interface Protocol (CLIP) devices. The control units are UL 864 Rev 9 and ULC S527-2011 listed for fire control and releasing service. Recommended for both new and retrofit special-hazard, critical-infrastructure suppression, and special agent applications, the units are ideal for industrial, commercial and institutional buildings. The units are fully expandable, providing up to three addressable Signal Line Circuits (SLCs) and can connect up to 954 addressable devices or points. The systems can be operational with minimal set up time and can be configured using an onsite laptop or through a remote PC via an on-board modem. www.mircom.com
Request more information: www.SecurityInfoWatch.com/11526795

Honeywell's SWIFT Wireless Fire Sensing System

Honeywell's Smart Wireless Integrated Fire Technology (SWIFT) detectors and modules seamlessly integrate with new and existing fire alarm systems from Fire-Lite Alarms, Gamewell-FCI and NOTIFIER to protect challenging applications and high-cost installations, as well as building expansions. Using a Class A mesh network where every device acts as a repeater with redundant path communication, SWIFT systems are robust and self-healing, making them a highly-reliable fire detection solution. Once a mesh network is formed, a restructuring automatically occurs to find the strongest paths within the network. Unique mesh IDs in each SWIFT network prevents miscommunication with other devices and inherent frequency hopping prevents system interference. The elimination of wires leads to more flexibility in installation. www.honeywelllifesafety.com
Request more information: www.SecurityInfoWatch.com/11518140



Potter's PFC-6000 Series Fire Alarm Control Panels

Potter's PFC-6000 Series fire alarm control panels utilize state-of-the-art addressable sensors and control modules that provide flexibility to tackle demanding applications. Every PFC-6000 Series fire panel comes equipped with an on board IP communicator that allows for multiple communication paths without requiring additional expensive hardware and connections. These panels are also email ready and can send and receive email commands, letting you know your current system status, when to schedule your next inspection, or when to purchase new batteries. Potter's own panel configuration software allows custom programming for all points using a network computer if connected to a WAN or LAN, or with a standalone computer. It allows you to fine-tune device behavior characteristics or create mapping zones using a simple drag and drop interface. www.pottersignal.com
Request more information: www.SecurityInfoWatch.com/12024135

Waterflow Detectors from System Sensor

The WFDN Series Waterflow Detector from Systems Sensor is fully redesigned to meet the needs of today's fire sprinkler professional. New features include a timer dial, cover, and terminal block which add convenience and save on installation time. The timer dial is a first for waterflow detectors with a built-in time delay. Not only is it large and easy to turn, but its high-contrast, pad-printed markings and tactile features make it easy to set by feel in dimly lit or hard-to-reach locations. The detector's built-in time delay mechanism is still immune to dust and other contaminants, but now it is also designed for improved timer accuracy and repeatability. www.systemsensor.com
Request more information: www.SecurityInfoWatch.com/12018009



SimplexGrinnell Fire Alarm Panel

The Simplex 4007ES expandable fire alarm panel from Tyco SimplexGrinnell is designed specifically for small- and mid-sized projects while expanding the supplier's eServices capabilities, which include more design flexibility, easier installation, improved operational efficiency, robust data management and reporting, and lower life-cycle costs. The panel can provide reliable, cost-effective protection for new construction, upgrade projects and retrofit applications. The unit comes in addressable and hybrid models with a 4.3-inch color touchscreen display, enabling buildings owners, facility managers, architects and engineers to meet the range of fire and life-safety protection needs in small schools, medical office buildings, strip malls, restaurants and other similarly sized applications. www.tycosimplexgrinnell.com
Request more information: www.SecurityInfoWatch.com/11518131

Vericom Fire Alarm Cable

Vericom Global Solutions offers 1,000-foot pull boxes of fire alarm cable. Vericom fire alarm cable are composed of copper wires contained inside of a FPLR rated red jacket. All models of the supplier's fire alarm cable are approved for 300 volts, with a temperature range of -10°C to 75°C. The fire alarm cable is FPLR compliant and meet UL 1666 standards and are designed for commercial installations in vertical floor-to-floor runs, where the length exceeds one story. For more details on NEC riser rated guidelines, please reference section 760-154(B) of the National Electrical Code ANSI/NFPA 70. www.vericomsolutions.com
Request more information: www.SecurityInfoWatch.com/11728704



Cooper Notification's ALERITY Integrated Mass Notification Solution



Cooper Notification's line of Internet Protocol (IP) network-based Mass Notification Systems (MNS), part of the company's ALERITY line of unified interoperable platform, offers WAVES over IP (WoIP) for emergency communications. Through advanced programming interfaces, ALERITY offers full-featured, bi-directional interoperability, integrating with other systems, software and devices for enhanced situational awareness. Examples include fire alarm control panels (FACP), chemical sensors, detection systems and paging systems. The WoIP mass notification network is comprised of a collection of secure, robust and reliable Ethernet communication devices, IP Communicators (IPC). This enterprise system solution allows organizations to leverage their Local Area Network (LAN) or utilize the IPC private network to send audible, visual and data messages. Through Ethernet radios, a wireless solution is also available. www.coopernotification.com
Request more information: www.SecurityInfoWatch.com/11355384

Elpas Lone Worker Emergency Call Transmitter

The Lone Worker Emergency Call Transmitter from Elpas ensures that personnel who may be subject to attack or injury when operating on their own can send alerts about their situation and responders can be dispatched to the exact location of the evolving security incident. The Elpas Real-Time Location System (RTLs) monitors the location of the Lone



Worker Tag and may be used to manage emergency response efforts. Designed for high-risk environments such

as correctional institutions, petrochemical plants or healthcare facilities, the transmitter is equipped with two emergency call buttons that are located on either side of the unit for manual, wireless duress alerting. www.elpas.com
Request more information: www.SecurityInfoWatch.com/12019981

www.SecurityInfoWatch.com



CaretakerSentry PERS from LogicMark

The CaretakerSentry from LogicMark provides a complete platform for dealers to offer their customers. The CaretakerSentry will support a pendant that is fully supervised, waterproof and has a 5-year battery. The system communicates via POTS, VoIP and optional cellular accessory. For users on the go, we also offer our SentryPal, which is our mobile PERS unit. The unit is compatible via GSM Cellular Network on the AT&T network. It is a small and lightweight unit that has two-way voice communication, geo-fencing, GPS, alert notification and offers Central Station integration. www.logicmark.com
Request more information: www.SecurityInfoWatch.com/11313976



Remote locations



Hospitality



After-hours deliveries



Worksites



Hospitals / healthcare



Office building/university

Kidde: The Destination for Mechanical KeySafe Solutions

Leveraging its 90+ years of product design and mechanical engineering expertise, Kidde now offers top quality key-control and entry-management products.

Choose Kidde keyed or coded keyboxes for no-fuss access to customer sites, remote facilities, and office buildings. Save your customers time by preventing lockouts, lost keys, rekeying locks and cumbersome key audits. And, look for new ways to expand your business via Kidde's wide variety of safety and security products.



Learn more! Kidde.com or contact Kidde at: 800-547-0252

Request information: www.SecurityInfoWatch.com/10547737



Trine 4850-ITL:
The Ultimate
Installation
Tool for
Electric
Strikes

Trine's 4850ITL is the best tool for installing electric strikes ever developed. This tool and was designed to install the entire 4800 series line of strikes quickly and accurately the first time.

The 4850ITL is not just a template, and it's far more advanced than a simple steel plate with holes. It's made from actual production parts giving the installer the ability to adjust for common door issues such as sagging and misalignment. By placing the ITL on the frame, it allows the installer to "feel" the strike working with the door and panic device allowing for fine adjustments BEFORE holes are drilled.

The flexibility and therefore accuracy of the 4850-ITL is derived from our patent pending magnetic holding system built into the body of the tool. Combine this with a custom center punch that is included with every 4850-ITL to make perfectly centered



marks on the frame; this tool is a must for every installer of electric strikes.

Search "4850ITL" on Youtube™ to watch the video and see the difference for yourself, or visit the website below.

Request more information:
www.SecurityInfoWatch.com/11416079



www.trineonline.com/4850itl.php



Platinum Tools
10Gig Termination
Tool

Platinum Tools' Tele-TitanXg 2.0 (p/n 12516) 10Gig termination Tool combines two crimpers into a single tool, making two-step crimping simple. The tool, along with the supplier's 10-gig shielded connectors, are engineered specifically for Cat6A cables to provide true 10Gig performance and improves efficiency by not having to change out tools in the middle of a termination. With a compact and rugged design, it terminates to industry-specified crimp heights, while its straight action crimp is achieved with minimal hand force. The non-slip handle and finger grooves are designed for comfortable grip and control, and it includes a gun-style lock for secure closure. www.platinumtools.com

Request more information: www.SecurityInfoWatch.com/11669345



Video
Surveillance
Online Design
Tool from DVTEL

Build a surveillance solution and prepare price quotes quickly and easily with two new design tools from DVTEL, developed for its systems integration, consulting and design partners. The software increases productivity and efficiency for integrators by helping specify the most cost-effective, comprehensive solution available for a specific application. It recommends camera and mounting options and includes a storage calculator. Users can easily export a quote to PDF or CSV to send in a comprehensive proposal. The supplier's Building Information Modeling (BIM) REVIT models enable architects, engineers and security consultants to easily add DVTEL 3D Quasar camera models into security plans, ensuring accurate design and visualization from the very early stages in a project's development.

www.dvtel.com

Request more information: www.SecurityInfoWatch.com/11526684



Strattec Key Blanks
for 2014 Chevrolet
Silverado and
GMC Sierra

General Motors has revised the head of the ignition/door keys for the 2014 Chevrolet Silverado and 2014 GMC Sierra. These keys are STRATTEC part numbers 5924205 (Silverado) and 5924206 (Sierra). The photo on this page shows the new heads. It was a running change on the part of GM and we are now out of stock on the old style heads so we are only shipping the new heads at this time. We now also offer the 7013237 which has the GM Corporate logo for the Sierra and Silverado. There is no change to the programming and they still remain a "10 Cut" design. Continue to order the same part numbers as they have not changed either. All current GM part numbers can be found along with the applications at: <http://aftermarket.strattec.com>.

Request more information:
www.SecurityInfoWatch.com/12023819

AccessPoint KeySafe System from Kidde

Kidde takes home safety to another level with our AccessPoint KeySafe Original. This durable KeySafe holds up to five keys, providing easy access for family and friends, while the StrongBox design deters individuals looking for unauthorized access to your home or property. Simply use the included hardware to permanently attach KeySafe to any wall or flat surface for unmatched quality and security, and to enjoy accessible key storage for homes, outbuildings, sheds and farm implements.

www.kidde.com

Request more information: www.SecurityInfoWatch.com/11239219



DON'T GET
HOOKED BY
IMITATIONS

Insist on original STRATTEC keys, locks, pinning kits and more. They're the reel deal.



Ford RKE
Remotes from
Strattec

STRATTEC is pleased to introduce two Ford compatible RKE remotes into the locksmith market. These remotes are both 3- and 4-button configuration and replace fobs from 1995-2013 vehicles. These remotes cover Ford, Lincoln, Mercury and Mazda vehicles and can generally be programmed with on-board procedures or an aftermarket tool. Instead of shells or refurbished remotes, you can now give your customer a completely new Ford remote from STRATTEC. Most Fords use general on-board programming instructions (where applicable) and can be found on our website. Some remotes may require dealer or aftermarket programming tools. All current Ford part numbers can be found along with the applications at <http://aftermarket.strattec.com>

Request more information:
www.locksmithledger.com/11239188

Power Supplies

Surge Protection from
Middle Atlantic Products

Series Protection and 2-Stage Compact Surge Devices from Middle Atlantic Products are compact, standalone surge protection devices that safeguard against both under- and over-voltage events with automatic recovery that does not require a hard reset after a surge event, minimizing system downtime. Ideal for security monitoring centers, both devices can power and protect displays, extenders, digital signage players and more. The Series Protection system is engineered with non-sacrificial and non-degrading protection to ensure system reliability by effectively absorbing surges without contaminating the system ground. The MOV protected 2-Stage unit is a compact standalone surge protection device that deflects surge events from line to neutral without contaminating the system ground. www.middleatlantic.com

Request more information: www.SecurityInfoWatch.com/11715742



Minuteman Ruggedized UPS

Para Systems Inc.'s Minuteman ERS1500RTNC is a ruggedized uninterruptible power supply (UPS) designed to provide protection to support traffic control and monitoring equipment, servers, telecom equipment, VoIP systems, security systems and a variety of other applications. It is a line-interactive unit with a capacity of 1500VA and 1050W. With versatile rack/tower/wallmount options and its ability to withstand extreme temperature environments, the unit is optimal for a wide range of installation spaces and is designed to efficiently operate in extreme temperature environments. High-temperature batteries and temperature-compensated charging combine to provide an operating temperature range from +5 to +122°F (-15 to +50°C). Additionally, each unit has conformal coating on all electronics that resists corrosion in high humidity installations. www.minutemanups.com

Request more information: www.SecurityInfoWatch.com/12018037



TANE ALARM PRODUCTS
TANE-96 BI & 96 BI LG

Bi-Directional

18" & 36" Armored Cable
Wide 2.5" Gap Minimal DEAD Zone
Bi-Directional - Adjusts for installs
on left or right side of door
Order Tane-96 Bi for 2.5" Residential Rails
Order Tane-96 BI LG for 3.5" Commercial Rails

TANE VIDEO-330
CCTV TESTER
Multi-function CCTV Testing Device

Free Carry-Case

Video test function,
High resolution LCD screen
Video signal attenuation analyzer
PTZ control and test function
Supports over 20 RS485
protocols
Output 12V DC power to camera
UTP cable test function
Video generation function
Updated RS485 data test
function
Numbered keyboard for easy
operation
Battery power-level display
Powered by 5VDC adapter or
internal rechargeable Lithium
Battery (included)

Multi-meter function

WWW.TANEALARM.COM info@tanealarm.com
Call Today 516-328-3351

Request information: www.SecurityInfoWatch.com/10215295

Offering your customer a STRATTEC key or lock means they're getting nothing less than the best. As an OE-licensed aftermarket supplier for Ford, General Motors, Chrysler and more, STRATTEC helps locksmiths build better customer satisfaction in two important ways:

- **BETTER QUALITY.** Chances are, we engineered and manufactured the original keys you are replacing. A STRATTEC replacement upholds the same rigorous quality standards that OE manufacturers demand.
- **STRONGER SUPPORT.** Generations of locksmiths have come to trust the superior quality and ready availability of our technical support and product information, as well as our long-standing commitment to locksmith training.

Don't let yourself be lured away. Always insist on genuine STRATTEC keys, locks and pinning kits.



<http://aftermarket.strattec.com>

Request information: www.SecurityInfoWatch.com/10215947

Enterprise Security & Integrated Systems

Detex EasyKit Systems

The Detex EasyKit catalog number specifies everything you need for virtually any application, with one price and no problems. Illustrated here is the AODx10ERx1S-1 Automatically Operated Door EasyKit, which integrates the Advantex latch retraction exit device with Detex's low energy, automatic operator with pre-wired, built-in latch retraction power supply. Also included are two wireless ADA activation buttons, a power transfer, code-compliant signage and an easy-to-follow wiring diagram, helping make installation easy and mistake-free. The Detex AODx-10ERx1S-1 was designed by our customers for applications at assisted living homes, airports, healthcare, shopping centers and any application where access control and a low-energy, automatic operator is required. Choose a pre-wired EasyKit System, or work with Detex to create your custom EasyKit. www.detex.com

Request more information: www.SecurityInfoWatch.com/10217316



Situational Awareness Platform from Gamewell-FCI

Gamewell-FCI by Honeywell's Focal4 Shared Situational Awareness (SSA) system streamlines facilities' day-to-day operations and greatly improve response to emergencies in buildings used for education, local government, healthcare, utilities, critical infrastructure, large retail, transportation and other commercial organizations. The software platform is able to aggregate information from all brands and variations of systems, including access control, video, fire alarm, HVAC, traffic, mobile devices and more. Its open architecture and scalability make it easy to implement and a great value for small facilities as well as multi-building complexes around the world. It provides a comprehensive picture of all events in and around a facility or campus, enabling security directors, emergency management officials and first responders to make fast, accurate emergency response decisions. www.Gamewell-FCI.com

Request more information: www.SecurityInfoWatch.com/12018092

Threat Detection Technology

Portable Explosives Trace Detector from Smiths Detection

Smiths Detection's IONSCAN 600 explosives trace detector is designed for use in global aviation and critical infrastructure security. The small, portable design features a proprietary non-radioactive Ion Mobility Spectrometry (IMS) source which eliminates the need for special licensing, handling or disposal requirements. The unit's hot-swappable battery provides continued sampling and analysis capability, allowing it to be moved while still in use. Low-cost, single-use test swabs reduce operator costs. The unit weighs just 23 pounds (10.4 kg) and is equipped with a built-in handle for easy carrying. It fits into a layered security approach, delivering the detection capability needed, while helping security professionals minimize overhead through its user-friendly configuration, flexibility and cost advantages. www.smithsdetection.com

Request more information: www.SecurityInfoWatch.com/12020719



Letter and Parcel Inspection Unit from Ceia USA

CEIA USA's EMIS-MAIL IED detector for letter and parcel inspection is designed to detect a wide variety of metal threat items including detonators, batteries, trigger circuits and other metal components of parcel bombs without false alarms for non-threat items such as metal staples, paper clips and metal binding spirals. The unit provides a fast and automatic alarm/no alarm signal confirmation per each inspected package. An optional embedded radioactive detector is also available for radioactive material threat detection. The unit is compliant with the NIJ-0602.02 Department of Justice Detection requirement standard. www.ceia-usa.com

Request more information: www.SecurityInfoWatch.com/12020725



Napco's Total Integrated Security Solution

Napco Security Technologies Inc. (NASDAQ: NSSC) is a leading manufacturer of a wide array of innovative security products, engineering advanced technologies for more than three decades.

Napco Fusion™ is a "total integrated security solution" that provides seamless, interoperability of intrusion and fire protection, video, access control and locking from Napco's synergistic divisions, Napco Intrusion & Fire, Alarm Lock Networx™, Continental CardAccess, and Marks USA. One security platform makes operation and deployment easier and more cost-effective than ever, with hardwire, wireless or hybrid technologies for flexible installation in any building/construction. Contact us 1-800-645-9445. www.napcosecurity.com

Request more information: www.SecurityInfoWatch.com/10711107



Security Management Software from AMAG

The latest version of AMAG Technology's Symmetry V8 access control software answers the customer's need for a complete end to end security management solution. The unified security solution offers integrators and end-users a solution to manage all their security functions seamlessly in one system through an intuitive user interface. The system offers visitor management, identity management and video management free in all software versions. It features expanded access control capability, with added features for temporary card holders, automatic card expiration, vacation tracker and expanded card holder filters. Users can instantly access, monitor and review card holders, and manage visitors and alarms from any location through a web browser. It also offers a new NVR unit and supports the ONVIF Profile S camera plug-in. www.amag.com

Request more information: www.SecurityInfoWatch.com/11706493



Handheld Explosive Trace Detection from Rapiscan

Rapiscan's DETECTRA HX is a lightweight handheld, explosive trace detection solution. It is designed with high throughput and high detection capabilities that are essential for law enforcement, event and border protection professionals and more. The unit is easy to operate and is capable of detecting trace explosives in both particulate and vapor form. For more sensitive, accurate and rapid detection, it offers a swipe sampling system and includes a touch-free inhalation sampling method for highly unpredictable explosives compositions. The unit can detect a broad range of common commercial and homemade explosive materials that may exist within a single sample. www.rapiscansystems.com

Request more information: www.SecurityInfoWatch.com/12020713



Non-Radioactive Trace Detector from Morpho Detection

Morpho Detection recently launched its next-generation desktop explosives trace detector (ETD), the Itemiser 4DX, which delivers explosives detection and screening capabilities powered by a non-radioactive ITMS (Ion Trap Mobility Spectrometer) source. The unit eliminates the administrative, regulatory, storage and shipping requirements associated with a radiation-emitting trace detection source. A lightweight, portable desktop system, it uses a long-lasting battery to enable rapid deployment between locations without powering down. The product seeks to minimize operational costs for airports and air cargo facilities, law enforcement and government and critical infrastructure installations. www.morphodetection.com

Request more information: www.SecurityInfoWatch.com/12022409



Brains, and beauty

Intelligent, stylish access control with WiFi

It's love at first sight with the IN120 WiFi lock from ASSA ABLOY Group brands CORBIN RUSSWIN and SARGENT. Facility managers are fans of how it reduces installation time and lets them add access control at a fraction of the cost. Architects like having a variety of finishes and levers to match any environment seamlessly. IT executives appreciate its compatibility with existing and evolving WiFi systems and standards. Looking to settle down with a security solution? The INtelligent, INnovative and INspiring IN120 could be The One.

IntelligentOpenings.com/IN120



ASSA ABLOY



Scan this QR code using your mobile phone to learn more.

Copyright © 2014, ASSA ABLOY, Inc. All rights reserved.

Available from ASSA ABLOY Group brands:
CORBIN RUSSWIN | SARGENT

The global leader in
door opening solutions


Request information: www.SecurityInfoWatch.com/10214903

WE MADE **ALAN** AN ACCESS CONTROL ACE

SECURITY LOCK DISTRIBUTORS HOOKED HIM UP WITH THE SMARTEST SOLUTION.

Alan finally got the PO to upgrade the access control system at his customer's facility. But he wasn't sure where to start. Biometric systems, electronic locks, RFID systems...the options were endless. So he talked to a technical sales expert at Security Lock Distributors, who helped him select a cutting-edge solution that respected the job specs and integrated perfectly with his customer's existing systems.



 Evolving technology, expert knowledge.
seclock.com | 800-847-5625



INFORMED. IN STOCK. IN DEPTH.