

# BIGBOOK

**SD&I**  
Security Dealer & Integrator

SECURITY TECHNOLOGY  
**EXECUTIVE**

**LOCKSMITH LEDGER**  
*International*

THE SECURITY INDUSTRY'S PRODUCT GUIDE • **SPRING 2016**

## Detex EAX-300 Door Prop Alarm

Door prop alarms are low-cost, desirable solutions to propped open doors. Helping keep energy costs down by ensuring the doors are closed, they also serve a vital security need. Sounding when a door is left open too long, door prop alarms help ensure access control systems are used as intended.

The EAX-300 Battery Powered Door Prop Alarm from Detex is designed for applications where doors may be used but not held or propped open. An intelligent circuit senses the external magnet location automatically, sounding an alarm when the door has been open too long, and automatically rearms when the door has been closed again.

The EAX-300 consists of secure, tamper resistant housing, a 100 decibel alarm, and LED visual arming indicators. It is powered by a 9VDC battery and features a low battery alert. The EAX-300 is built so that it can be mounted on the door, including on narrow stile doors, or on the wall.

Many options are available, including Key Stop (always armed when key removed), Status Indicator, gray or black housing color, and kits for wall mounting.

A weatherized version of the EAX-300 is available for use on gates or doors that are outdoors or exposed to the elements. Weatherized electronics are certified to driving rain and salt fog testing. For the weatherized battery-powered door prop alarm, simply specify EAX-300W.

**Request more information:**  
[www.SecurityInfoWatch.com/10625001](http://www.SecurityInfoWatch.com/10625001)  
<http://detex.com>

Where Trust is Built™  
**DETEX**  
Life Safety, Security and Security Assurance



## Trove™ Access and Power Integration Solution from Altronix

Trove enclosures combine Altronix power with access controllers and accessories from leading manufacturers. Recent additions to the Trove line includes backplanes for AMAG, CDVI, KABA/KeyScan and Software House access controllers and accessories, as well as the introduction of Trove1, a compact enclosure that accommodates CDVI, HID/VertX and Mercury controllers.

An optional TMV2 door backplane is also offered for maximum installation capacity and flexibility.

Systems can be wired and pre-tested prior to on-site installation for added cost and performance benefits. All Trove units include a cam lock, tamper switch and mounting hardware. Trove simplifies board layout and wire management, greatly reducing installation and labor costs, and provide the versatility and scalability installers need to easily configure their products.

**Request more information:**  
[www.SecurityInfoWatch.com/12118951](http://www.SecurityInfoWatch.com/12118951)  
[www.altronix.com](http://www.altronix.com)



**Altronix**

## NAPCO Commercial Addressable Fire or Gemini Combo Burg/Fire Systems

Napco Security Technologies Inc.'s Commercial Platform is a full line of Commercial Fire or Combo Intrusion/ Fire Systems configurable for wireless, hardware, analog, addressable or conventional technology devices.

Now offering speedier setup and installation with new Quick-Start faster programming, the UL commercial grade wireless fire and burglary devices are installed in a fraction of the time.

There is a new fire-only program menu and standard fire alarm system preset template you can build on. All you will need to do is enter the quantity and type of devices — they will be auto-inserted, mapping inputs to outputs that are clearly color-coded.

Auto-Learn discovers and identifies addressable devices on loops. It will preload descriptions, e.g., "smoke detector" — and list the quantity of modules, sensors and relays for each. Fast Track Diagnostics automatically distinguish minor warnings from critical errors. Enhanced battery and voltage calculators are also included.

The NAPCO Commercial Platform includes built-in labor savings, incredible power, and feature-rich value that's easy to plan-out and standardize on for 255, 128 or 32 points of commercial wireless, analog addressable and/or 12V conventional installations; and it is fully compliant with the most rigorous industry standards, including UL864 9th Ed., NFPA72, and SIA CP01.

Features include easy AHJ calcs; up to 32AH standby separate for burglar and fire; and remote/onsite uploadable smoke sensitivity reporting.

**Request more information:**  
[www.SecurityInfoWatch.com/10524477](http://www.SecurityInfoWatch.com/10524477)  
[www.napcosecurity.com](http://www.napcosecurity.com)

**NAPCO**



## Next Generation IN100 Aperio Wireless Lock from ASSA ABLOY

Available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, the next generation IN100 offers the convenience and flexibility of ASSA ABLOY's Aperio wireless technology with the real-time communication of online access control, enabling remote lock or unlock in less than 10 seconds.

Ideal for facilities such as schools or corporate office buildings, the IN100 is designed with ANSI/BHMA Grade 1 hardware and is available in cylindrical lock, mortise lock and exit device configurations. The IN100 uses Aperio wireless technology to allow facilities to leverage existing security infrastructure to easily expand access control coverage more quickly and affordably.

The lock also features HID® multiCLASS SE® technology to provide simultaneous support for multiple credential types and HID Mobile Access® powered by Seos®. A patent-pending credential cache is also available to ensure access when the lock is offline from the electronic access control system.

Designed for easy integration into existing access control systems, the IN100 communicates wirelessly to an Aperio hub, which connects to the access control system using Ethernet, RS-485 or Wiegand wiring.

The IN100 is available with a black or white reader and is offered in a broad range of finishes and levers. It also suites with the IN Series of access control locks, allowing facilities to have a consistent aesthetic throughout the building regardless of technology.

**Request more information:**  
[www.SecurityInfoWatch.com/12183600](http://www.SecurityInfoWatch.com/12183600)  
[www.intelligentopenings.com/IN100](http://www.intelligentopenings.com/IN100)

**Corbin Russwin**  
**SARGENT**  
ASSA ABLOY ASSA ABLOY




# THE ONE BOX SOLUTION

FOR CYLINDRICAL & DEADLATCHES



**TWO COLORS IN ONE MODEL**  
**4200CC-10B-32D**



All parts shown are included.

**ELECTRIC STRIKES THAT CHANGE THE GAME**



**VISIT: TRINEONLINE.COM**  
Request Information: [www.SecurityInfoWatch.com/10215438](http://www.SecurityInfoWatch.com/10215438)

# CUSTOMIZE.

Access and power integration

## TROVE™

Trove™ enclosures let you easily combine Altronix power with access controllers and accessories available from the industry's leading manufacturers. A variety of backplanes offer a wide range of scalable access and power configurations. This Altronix solution simplifies board layout and wire management, while reducing installation and labor costs. Customize your access control system with Trove.



[altronix.com](http://altronix.com) • 1.888.258.7669  
MADE IN THE USA

Request Information: [www.SecurityInfoWatch.com/10212790](http://www.SecurityInfoWatch.com/10212790)





## TABLE OF CONTENTS

# BIGBOOK

THE SECURITY INDUSTRY'S PRODUCT GUIDE ■ SPRING 2016



**B6** Access Control & Door Hardware



**B21** Keys, Key Controls & Automotive Accessories



**B22** Power Supplies



**B24** Alarms & Intrusion Detection



**B25** Enterprise Security & Integrated Systems



**B26** Video Surveillance



**B30** Installation Tools

Advertiser Name	Page	WebSite URL
Akron Hardware	B17	<a href="http://www.SecurityInfoWatch.com/12071932">www.SecurityInfoWatch.com/12071932</a>
Altronix Corporation	B3	<a href="http://www.SecurityInfoWatch.com/10212790">www.SecurityInfoWatch.com/10212790</a>
ASSA ABLOY	B13	<a href="http://www.SecurityInfoWatch.com/10212899">www.SecurityInfoWatch.com/10212899</a>
Capitol Industries, Inc.	B25	<a href="http://www.SecurityInfoWatch.com/12203064">www.SecurityInfoWatch.com/12203064</a>
CCL Security Products	B15	<a href="http://www.SecurityInfoWatch.com/10213160">www.SecurityInfoWatch.com/10213160</a>
Detex Corporation	B4	<a href="http://www.SecurityInfoWatch.com/10213445">www.SecurityInfoWatch.com/10213445</a>
DKS DoorKing Systems	B7	<a href="http://www.SecurityInfoWatch.com/10213482">www.SecurityInfoWatch.com/10213482</a>
Dortronics Systems, Inc.	B11	<a href="http://www.SecurityInfoWatch.com/10213494">www.SecurityInfoWatch.com/10213494</a>
DynaLock Corporation	B9	<a href="http://www.SecurityInfoWatch.com/10213515">www.SecurityInfoWatch.com/10213515</a>
Marks USA	B22	<a href="http://www.SecurityInfoWatch.com/10214311">www.SecurityInfoWatch.com/10214311</a>
Napco Security Systems Inc	B23	<a href="http://www.SecurityInfoWatch.com/10215125">www.SecurityInfoWatch.com/10215125</a>
Platinum Tools	B29	<a href="http://www.SecurityInfoWatch.com/10216200">www.SecurityInfoWatch.com/10216200</a>
SDC-Security Door Controls	B31	<a href="http://www.SecurityInfoWatch.com/10214991">www.SecurityInfoWatch.com/10214991</a>
Security Lock Distributors	B5,B32	<a href="http://www.SecurityInfoWatch.com/10215009">www.SecurityInfoWatch.com/10215009</a>
SecurityTronix	B27	<a href="http://www.SecurityInfoWatch.com/10486354">www.SecurityInfoWatch.com/10486354</a>
Select Products	B28	<a href="http://www.SecurityInfoWatch.com/10215943">www.SecurityInfoWatch.com/10215943</a>
STRATTEC Security Corp.	B21	<a href="http://www.SecurityInfoWatch.com/10215947">www.SecurityInfoWatch.com/10215947</a>
Tane Alarm	B29	<a href="http://www.SecurityInfoWatch.com/10215295">www.SecurityInfoWatch.com/10215295</a>
Trine Access	B2	<a href="http://www.SecurityInfoWatch.com/10215438">www.SecurityInfoWatch.com/10215438</a>
Yale Commercial	B19	<a href="http://www.SecurityInfoWatch.com/10215674">www.SecurityInfoWatch.com/10215674</a>

This index is supplied as a service to our readers.  
The publisher assumes no liability for omissions or errors.

PUBLISHED BY  
SOUTHCOMM  
BUSINESS MEDIA, INC

PO Box 803  
1233 Janesville Ave  
Fort Atkinson WI 53538  
920-563-6388; 800-547-7377



#### THE BIG BOOK

is a supplement to *Locksmith Ledger*,  
*Security Dealer & Integrator* and  
*Security Technology Executive* magazines.

#### EDITORIAL

**Editor, *The Big Book*** | Paul Rothman  
PO Box 366  
1595 Peachtree Parkway, Suite 204  
Cumming, GA 30041  
800-547-7377, ext. 2226  
prothman@SouthComm.com

**Editorial director** | Steve Lasky  
800-547-7377, ext. 2221  
slasky@SouthComm.com

**Editor, *Locksmith Ledger*** | Gale Johnson

**Editor, *Security Dealer & Integrator*** | Paul Rothman

**Editor, *Security Technology Executive*** | Steve Lasky

**Editor, *SecurityInfoWatch.com*** | Joel Griffin

#### SALES

**Group publisher** | Nancy Levenson-Brokamp  
800-547-7377 ext. 2702  
nbrokamp@SouthComm.com

**Northeast US & East Canada**  
**SD&I, STE, *SecurityInfoWatch*** | Janice Welch  
800-547-7377 ext. 6288  
jwelch@SouthComm.com

**Midwest**  
**Locksmith Ledger, SD&I, STE, *SecurityInfoWatch*** | Brian Lowy  
800-547-7377 ext. 2724  
brlowy@SouthComm.com

**Western US & Western Canada**  
**SD&I, STE, *SecurityInfoWatch*** | Bobbie Ferraro  
310-545-1811  
bferraro@SouthComm.com

**Display/classified** | Kristy Dziukala  
800-547-7377 ext. 1324  
kdziukala@SouthComm.com

#### PRODUCTION

**Production manager** | Jane Pothlanski  
800-547-7377 ext. 6296  
jpothlanski@SouthComm.com

**Art director** | Bruce Zedler  
bzedler@SouthComm.com

**Audience development manager** | Sue Hanson  
shanson@SouthComm.com

#### SOUTHCOMM INC.

**Chief executive officer** | Chris Farrell

**Chief financial officer** | Ed Tearman

**Chief operating officer** | Blair Johnson

**EVP, public safety & security** | Scott Bieda

**VP Events, public safety & security** | Ed Nichols

**VP, production operations** | Curt Pordes

**VP, technology** | Eric Kammerzelt

**Subscription customer service**  
Toll-Free 877-382-9187; Local 847-559-7598  
Circ.SecDealer@omeda.com

**Article reprints** • Brett Petillo  
Wright's Media 877-652-5295, ext. 118  
bpetillo@wrightsmedia.com

Printed in the USA. Copyright 2016 SouthComm Business Media, LLC. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recordings or any information storage or retrieval system, without permission from the publisher.

SouthComm Business Media, LLC does not assume and hereby disclaims any liability to any person or company for any loss or damage caused by errors or omissions in the material herein, regardless of whether such errors result from negligence, accident or any other cause whatsoever. The views and opinions in the articles herein are not to be taken as official expressions of the publishers, unless so stated. The publishers do not warrant, either expressly or by implication, the factual accuracy of the articles herein, nor do they so warrant any views or opinions offered by the authors of said articles.



# THE BIGGEST NAMES IN DOOR HARDWARE.

# INCLUDING JOHN, HEATHER AND MICHAEL.

#### 110% COMMITMENT TO SERVICE.

No matter the size of the order, our team makes it all about you. From expert technical advice to the industry's largest inventory to verifying your order is exactly right before it ships—we do it all to make your job easier.

That's just one more reason industry pros choose Security Lock Distributors. Again and again.



**Corbin  
Russwin**  
ASSA ABLOY

**hes**  
ASSA ABLOY

**SARGENT**  
ASSA ABLOY

[seclock.com](http://seclock.com) | 800-847-5625

**SECURITY**  
**LOCK DISTRIBUTORS**

INFORMED. IN STOCK. IN DEPTH.

## We are more than the name you know



[detex.com](http://detex.com) 800-729-3839

Detex offers life safety and security door hardware products that are durable and easy to install. From multipoint locks to alarms, Detex manufactures a wide variety of products designed to protect property, provide emergency exits and thwart break-ins.

Easy to specify, order, use, install, and maintain, Detex EasyKits are field-proven, code-compliant and meet all of your requirements for safe and secure control of building entry and egress.

Detex is a world leader in Guard Tour Verification products and systems. Setting the standard with mechanical watchlocks, Detex continues to innovate today with GCS ProxiPen electronic guard tour verification systems.

# DETEX®

Request information: [www.SecurityInfoWatch.com/10213445](http://www.SecurityInfoWatch.com/10213445)

BIG BOOK SPRING 2016 | SouthComm Security Media

[www.SecurityInfoWatch.com](http://www.SecurityInfoWatch.com)

Request information: [www.SecurityInfoWatch.com/10215009](http://www.SecurityInfoWatch.com/10215009)





# ACCESS CONTROL & DOOR HARDWARE



## Next Generation IN100 Aperio Wireless Lock from ASSA ABLOY

Available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, the next generation IN100 offers the convenience and flexibility of ASSA ABLOY's Aperio wireless technology with the real-time communication of online access control, enabling remote lock or unlock in less than 10

seconds. Ideal for facilities such as schools or corporate office buildings, the IN100 is designed with ANSI/BHMA Grade 1 hardware and is available in cylindrical lock, mortise lock and exit device configurations. The IN100 uses Aperio wireless technology to allow facilities to leverage existing security infrastructure to easily expand access control coverage more quickly and affordably.

The lock also features HID® multiCLASS SE® technology to provide simultaneous support for multiple credential types and HID Mobile Access® powered by Seos®. A patent-pending credential cache is also available to ensure access when the lock is offline from the electronic access control system.

Designed for easy integration into existing access control systems, the IN100 communicates wirelessly to an Aperio hub, which connects to the access control system using Ethernet, RS-485 or Wiegand wiring.

The IN100 is available with a black or white reader and is offered in a broad range of finishes and levers. It also suites with the IN Series of access control locks, allowing facilities to have a consistent aesthetic throughout the building regardless of technology.

Request more information: [www.SecurityInfoWatch.com/12183600](http://www.SecurityInfoWatch.com/12183600)

[www.intelligentopenings.com/IN100](http://www.intelligentopenings.com/IN100)

**Corbin  
Russwin**  
ASSA ABLOY

**SARGENT**  
ASSA ABLOY

## Dynalock 3101C Series Delayed Egress Lock



DynaLock Corp. is pleased to announce the launch of a Third-Generation, redesigned 3101 Series Delayed Egress Lock — The 3101C Series.

Hallmarks of the 3101C design include a complete electronics update, incorporating the following significant enhancements:

- 12/24 VAC/VDC auto-input voltage detection.
- Up to 49% reduced current draw.
- Advanced residual magnetism mitigation circuitry.
- Full, backward-compatibility of circuit board with 3101B Series legacy product.
- Field-programmable firmware, via on-board USB interface (Legacy product currently requires hardware re-purchase, to modify firmware, to address special code/sequencing requirements).

The 3101C is mechanically-identical to the current 3101B Series Delayed Egress Lock. Mounting procedures and templating remain unchanged, to facilitate retrofits of existing 3101B Locks. As the 3101C's terminal layout is identical to the 3101B Series, wiring procedures will also be transparent to experienced 3101B field technicians.

With the introduction of the 3101C Series, all production of the outdated 3101A Series, first-generation lock will be discontinued as/of April 1, 2014. Returns will continue to be serviced under the terms of the DynaLife® Lifetime Warranty.


New purchase orders for 3101B Series Locks after March 1, 2014 will be upgraded to the 3101C Series product, at no additional cost to the customer. The 3101B Series will remain available upon specific request and for OEM partners, until further factory notice is given.

Request more information:  
[www.SecurityInfoWatch.com/12023825](http://www.SecurityInfoWatch.com/12023825)

[www.dynalock.com](http://www.dynalock.com)

**DynaLock™**  
For Life™

## Explosion Proof EMLock from SDC



SDC's new EP17624 Explosion Proof EMLock® is designed to provide access and egress door security while reducing the risk of the ignition of hazardous atmospheres commonly found in chemical plants, refineries, paint shops, cleaning facilities, tanks, and loading facilities for flammable gases, liquids, and vapors. The EP17624 is Explosion Proof UL Listed to eliminate sources of ignition resulting from hot surfaces, electrical sparks and friction and impact sparks.

- Requires connection to a NEC, NFPA 70 Class 2 Supply Circuit rate for 24 VDC
- Consumes 250mA @ 24VDC
- 600 lbs. Holding Force
- Door Status Sensor: SPDT Output, 100mA @ 300VDC Max
- Optional Top Jamb model with mounting kit available for use on pull side of door opening
- Explosion Proof UL Listed for hazardous atmospheres – Class 1, Division 2, All Groups A,B,C,D

- Environment Intended for use in the following atmospheres:
- |                      |                 |                      |
|----------------------|-----------------|----------------------|
| • Acetone            | • ATM fuel C    | • Methyl-Ethylketone |
| • 2-Nitropropane     | • Furfural      | • Methyl Alcohol     |
| • Ammonium Hydroxide | • Benzene       | • Diethyl-Ether      |
| • Ethyl-Acetate      | • Normal Hexane |                      |

Compatible with any access control system, the SDC EP17624 Explosion Proof EMLock® meets the demands of security professionals, and the most rigorous building and fire life safety codes in the world. With no moving parts to bind or wear out, the EP17624 electromagnetic door lock provides positive, instantaneous release upon demand.

Are you looking for cost-effective code compliance, safety and security for your hazardous atmosphere environment? Check out SDC's new EP17624 Explosion Proof EMLock®. For details and specifications, visit the links below.

Request more information:

[www.SecurityInfoWatch.com/12202931](http://www.SecurityInfoWatch.com/12202931)

<http://SDCsecurity.com/ExplosionProof>

**SDC**  
Security Door Controls



## Net2 PaxLock from Paxton Access

Paxton's Net2 PaxLock is a secure wireless battery-powered access control unit. Now with Genuine HID Technology inside, this lockset can fit into your existing system! Net2 PaxLock can be installed quickly and comes pre-fitted with a C keyway core, also available to fit SFIC keyway. The battery-powered unit comprises a networked access control system in a door handle, combining secure wireless technology with a stylish proximity reader.

Net2 PaxLock communicates with the Net2 software at a central point by a secure, low-power radio link, and events are reported back to the server in real-time. It is designed for use with Net2Air bridges to give the advantages of a wireless networked access control system. Each Net2Air bridge can detect Net2 PaxLock units within an average wireless radius range of up to 50 ft.

Net2 PaxLock is simple to use and quick to install because it is not wired into a power source, making it an ideal solution for internal doors.

Request more information:  
[www.SecurityInfoWatch.com/12036283](http://www.SecurityInfoWatch.com/12036283)

[www.paxton-access.com](http://www.paxton-access.com)

**Paxton**



# Making Access Control Elementary

## Complete Entry Systems

Use the DKS Remote Account Manager Software, with the new DKS DC Gate Operators and DKS Cellular 4G LTE service, for simple and easy-to-use telephone entry access control – even in the most remote locations.

No trenches to dig, no wiring to run, no telephone lines or ethernet cable to maintain. It's the total package: voice communication and programming over a 4G LTE cellular connection.

Complete access control systems – gate operators, entry devices, solar options, cellular connection, and software – that are as easy to set up and program as activating a smart phone. It's elementary – and more!



See how easy it is: [doorking.com/cellular](http://doorking.com/cellular)

**DKS**  
DOORKING

for more information

[doorking.com/cellular](http://doorking.com/cellular)

800-673-3299 [info@doorking.com](mailto:info@doorking.com)

Request information: [www.SecurityInfoWatch.com/10213482](http://www.SecurityInfoWatch.com/10213482)

Parking Control Access Control Telephone Entry Gate Operators

Member: AFA, DASMA, NAA, IDA, NOMMA, NPA, SIA, SSA, CANASA





## Dortronics 4800 Series Smart Interlock Controller



Dortronics has expanded its line of Smart Interlock Controllers with the new highly versatile and economical 4800 Series. The 4800 Series can be user configured in the field to accommodate up to five doors with ample flexibility for various input/output configurations.

The 4800 Series features 12 field-assignable inputs and 17 configurable relay outputs for maximum flexibility. Additional design features include a unique watchdog circuit that constantly monitors operation; LED indicators for input-output connection status; voltage spike and surge protection on all outputs; and adjustable propped door, panic release and door unlock timers. The 4800 Series is available as a board only module or complete with a heavy duty 4-amp power supply.

"We are seeing more and more projects utilizing interlocking door controls to increase facility security," said Bryan Sanderford, National Sales Manager, Dortronics Systems, Inc. "Our new 4800 Series addresses these concerns with a user configured solution that offers features and benefits often found only in more complex and expensive controllers."

For more information on Dortronics' extensive line of access control products call toll free 1-800-906-0137, e-mail [sales@dortronics.com](mailto:sales@dortronics.com) or visit the links below.

**Request more information:** [www.SecurityInfoWatch.com/12189667](http://www.SecurityInfoWatch.com/12189667)

<http://dortronics.com>



## HES KS200: Additional Layer of Security for Server Cabinets

The HES KS200 server cabinet lock extends access control to protect data center assets from intrusion and expensive downtime by bringing real-time access control in a single-card system to individual server cabinet doors.

Designed to install easily on most swing-handle style server rack doors with standard 25 mm x 150 mm lock openings, the KS200 uses Wiegand wiring to integrate seamlessly with existing access control systems.

It supports a Small Format Interchangeable Core (SFIC) mechanical key override and includes lock and DPS status monitoring. With an integrated, multi-technology reader, the KS200 provides robust, cost-effective access control to meet strict regulatory compliance and protect data from malicious or accidental tampering.

HES also offers the KS100, a PoE hardwired locking option with Aperio® technology that uses secure wireless communication between the lock and an Aperio hub to connect to your access control system using existing credentials.

Two models are available to support low or high frequency cards. The KS00 is available as either a pre-configured lock and hub kit or as part of a larger integrated access control deployment.

For more information about HES cabinet lock solutions, visit the links below.

**Request more information:** [www.SecurityInfoWatch.com/12140544](http://www.SecurityInfoWatch.com/12140544)

[www.hesinnovations.com](http://www.hesinnovations.com)



## Gatelock Solutions from SDC

SDC's Gatelock Solutions enable the access and egress control of pedestrian and vehicle gates with SDC Gate EMLocks®, Gate Mount Brackets, Outdoor Access Controls, REX Switches and Power Supplies. The floating armature EMLock design compensates for gate misalignment and is compatible with manual and automatic, swinging and sliding, tubular or iron gates.

- 1200lbs of holding force
- Stainless Steel Case
- Epoxy filled for weather resistance
- Threaded conduit fitting
- Pre-Fab Brackets for Sliding and Swing Gates
- Built-in voltage kickback protection
- Low power consumption
- Built-in bond sensor (BAS)

With no moving parts to bind or wear, the Gate EMLock® is inherently failsafe and will unlock automatically during a power outage. For security applications, the SDC 600 series power supplies with battery backup capability, provide continuous operation for up to 35 hours with just two 12VDC, 7 Amp Hour batteries. Swing. Slide. Shut. SDC's Gatelock Solutions for perimeter security. For details and specifications, visit the links below.

**Request more information:** [www.SecurityInfoWatch.com/12202945](http://www.SecurityInfoWatch.com/12202945)

<http://SDCsecurity.com/GatelockSolutions>



## Marks USA Loc-Down™ Life Safety Classroom Intruder ANSI/BHMA F110 Function Leverset

To answer the challenge of security and life safety in today's classroom environment, MARKS USA Custom Lockset Division has developed the Loc-Down™ Classroom Intruder ANSI/BHMA F110 Function Leverset with Clutch Design (MARKS USA Function DB). MARKS USA has incorporated all of the standard features of their Survivor Series Locksets (Clutch System, Super Strength Retractor, Long Life Lever Support Springs and a Life Test of over 3 Million Cycles) with their new Life Safety Classroom Intruder Function.

At the first sign of trouble outside, lock down a classroom instantly with Marks USA's Loc-Down™ Intruder locksets. Typical classroom function cylindrical locksets are designed to be locked or unlocked from the exterior with the interior always in an open position, but allows in emergency life safety situations the teacher to secure the classroom without stepping into the hallway to lock the outside handle. Faculty and students remain safely within the classroom. There is no need to open the door, the exterior lever is disabled by operating the interior lock cylinder.

**Request more information:** [www.SecurityInfoWatch.com/10889196](http://www.SecurityInfoWatch.com/10889196)

[www.marksusa.com](http://www.marksusa.com)



She shouldn't have to worry about security.

**Choose code-compliant electronic security and access control products from DynaLock Corp. and she won't have to.**

Integrated electromagnetic and electromechanical locking systems, along with ADA-compliant access and egress control products, designed to withstand the rigors of institutional use. Since 1989, whether for perimeter high-security or interior traffic control, DynaLock has provided the solutions and the expertise to deploy them, to meet the most critical life safety and security needs of your facility.

Request information: [www.SecurityInfoWatch.com/10213515](http://www.SecurityInfoWatch.com/10213515)







## ACCESS CONTROL & DOOR HARDWARE



### 65P: The Weatherproof Low-Voltage Pushbutton from Trine

Trine's 65P is the replacement for the discontinued Edwards 1786C-B pushbuttons. This all-weather button is suitable for use in outdoor and indoor applications. The pushbutton contains a neoprene diaphragm to protect the integral, long-life, phosphor silver contact springs, and an additional back plate threaded for a 1/2" (13mm) conduit.

Additional features of the 65P include:

- Completely surface mounted installation
- Solid brass construction
- Normally open silver contacts rated at 50V AC/DC @5amp
- Conduit back plate

Pair up with the EN Series of Electric Strikes, and offer a real out door rated solution for the best and longest lasting installations on gates and all exterior applications. Order the Trine 65P replacement from any of Trine's excellent distributors.

Request more information:  
[www.SecurityInfoWatch.com/12202987](http://www.SecurityInfoWatch.com/12202987)  
[www.trineonline.com](http://www.trineonline.com)



### Yale's 6000 Series Commercial Exit Device

The new 6000 Series Exit Device from Yale provides a stylish, secure life safety solution to any commercial facility. The durable, ANSI/BHMA Grade 1 certified exit device features an attractive modern design, smooth operation, and is offered with a range of options and functions. Available in rim, mortise, surface vertical rod and concealed vertical rod configurations, the Yale 6000 Series is ideal for a wide variety of applications.

The patented SquareBolt® latch option is uniquely designed for added resistance against unauthorized entry or vandalism. In addition to its innovative mechanical functions, the Yale 6000 Series Exit Device is available in a full line of electromechanical functions and accessories that can easily be integrated into existing security systems or fire alarm systems.

Installation of the 6000 Series is simple and straightforward, and is perfect for both new construction or retrofit applications. Available in five architectural finishes and over 35 lever designs, the Yale 6000 Series can be customized to suit the décor of any commercial facility, from office buildings to shopping centers and more.

Request more information:  
[www.SecurityInfoWatch.com/12117031](http://www.SecurityInfoWatch.com/12117031)  
[www.yalelocks.com](http://www.yalelocks.com)



### IN220 Power over Ethernet Locks from ASSA ABLOY

Available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, the IN220 Power-over-Ethernet (PoE) lock combines superior aesthetics with the energy efficiency and streamlined architecture of PoE access control solutions for a cost-effective, sustainable solution that leverages existing network infrastructure for enhanced security and easier installations.

The IN220 uses standard IEEE 802.3af PoE-enabled network infrastructure for both power and data, streamlining installation, eliminating proprietary equipment, and enabling real-time communication. The lock also significantly reduces standby power consumption compared to traditional access control solutions and reduces materials by combining several separate components into a single lock.

Featuring HID® multiCLASS SE® technology, the IN220 supports a range of credential types and HID Mobile Access® powered by Seos® for use with mobile devices with Bluetooth® Smart and/or NFC technology. A privacy button enables local lockdown and shelter in place as well as privacy functionality for applications such as restrooms. Built with integrated ANSI/BHMA Grade 1 hardware, IN220 locks suite with the IN Series of locks and are available in cylindrical lock, mortise lock and exit device configurations as well as a wide range of finishes and decorative levers.

Request more information: [www.SecurityInfoWatch.com/12172887](http://www.SecurityInfoWatch.com/12172887)  
[www.intelligentopenings.com/IN220](http://www.intelligentopenings.com/IN220)



### IP Pro™ PLUS IP-based Door Access Control from SDC



SDC's IP Pro™ IP-based Single Door Access Controllers — now available with PLUS PC Client Software — allow expansion from one door up to a 100-door "Grid." Configure and manage every door from a single interface that grows with you and eliminates the headaches of costlier, more complicated enterprise solutions. Every IP Pro™ Controller comes with secure, built-in software to manage up to 32 doors from any standard web browser to allow for real-time monitoring, user management and audit trail up to 5,000 events.

- Powered by ordinary Ethernet network cables
- Secure, built-in browser-based software, no software to install
- Manage from any PC and standard web browser
- Connects to existing network infrastructure
- Compatible with standard Weigand readers

Download our FREE PLUS PC-Client software to control up to 100 doors from a single PC. IP Pro™ PLUS is a role-based access control software suite with different interface modules, depending on user type.

- PLUS Hardware - used by installers to set up controllers, doors and user profiles
- PLUS Manage - used by system administrators to facilitate database changes required on a day-to-day basis, and offers various reporting tools.
- PLUS Server - used by system administrators to perform specialized tasks, such as database backups, firmware updates, importing/exporting users
- Live System events can be monitored from any module

The choice is yours. See IP Pro™ PLUS at the links below.


Request more information:  
[www.SecurityInfoWatch.com/12168131](http://www.SecurityInfoWatch.com/12168131)  
<http://sdsecurity.com/ippro-plus.htm>



## User Programmable PLC Interlock

Bob,  
Have you seen this new  
field configured interlock  
for up to 5 doors? It's the  
economical solution we  
were looking for.  
— Jill

NEW



The 4800 PLC interlock controller is a single board solution that controls up to five doors. With 12 field assignable inputs and 17 configurable relay outputs, plus compatibility with leading access control software. Available as board only module or complete with a heavy duty 4-amp power supply, the smart 4800 Series delivers big features in a small package – and at a small price.

#### Key Features

- Field selectable door sequence and functions
- Unique watchdog circuit that constantly monitors operation
- LED indicators for input-output connection status
- Voltage Spike & Surge protection on all outputs
- Adjustable propped door, panic release and door unlock timers



dortronics.com • sales@dortronics.com • 1.800.906.0137  
Request information: [www.SecurityInfoWatch.com/10213494](http://www.SecurityInfoWatch.com/10213494)





## Cellular Access Control from DoorKing

DoorKing's cellular connection service provides not only voice communication for the entry system, but also uses the cellular network for all programming functions. Most other cellular telephone entry / access control systems that claim they can program over the cellular network use text message functions for programming.

The DKS system uses true machine to machine (M2M) language for programming. This allows users to program their DKS entry systems just as they always have in the past. All they need is an internet connection and the DoorKing programming software, which is provided free with every system.

Installation is greatly simplified because the need to run phone lines, Ethernet cables or other data wiring is completely eliminated. Just connect the cellular device to the DKS system and its up and running in not time. No more worrying about noisy phone lines or wiring distance limitations. And, with DKS wireless expansion boards, your complete access control system with up to 24 entry points can be connected to the access controller wirelessly! This is a great time, labor and money saver!

Installers love the wireless expansion boards because they simplify installation and business owners will appreciate the time saved, which adds to the bottom line. All you need is a power source at the entry point and you are ready to go!

Request more information: [www.SecurityInfoWatch.com/12140523](http://www.SecurityInfoWatch.com/12140523)  
[www.doorking.com](http://www.doorking.com)



## ASSA ABLOY Locking Solutions with Mobile Access® Capability

ASSA ABLOY offers HID Mobile Access® support across a broad range of access control locks from ASSA ABLOY Group brands Corbin Russwin and SARGENT. This enables the ability to use phones and other mobile devices enabled with Bluetooth® Smart and NFC credentials with the IN120 WiFi lock, Access 700® and Passport 1000 PoE and WiFi locks, and the SE LP10 Integrated Wiegand lock.

HID Mobile Access® powered by Seos® provides an easy, intuitive solution for issuing, delivering and revoking digital credentials on iOS and Android mobile phones and tablets with Bluetooth® Smart and/or NFC technology. Offering comprehensive security, it protects identity data and keeps over-the-air communications between mobile devices and locks private.

According to Peter Boriskin, Director of Product Management, Electronic Access Control, ASSA ABLOY Americas, "Mobile-enabled locks allow customers to extend the convenience and security of mobile access to a wider variety of applications, while maintaining interoperability with their existing credential base."

Mobile-enabled locks from ASSA ABLOY Group brands are fully compatible with HID Global iCLASS SE® and Seos cards as well as multiCLASS SE® readers configured for HID Mobile Access®.

Request more information: [www.SecurityInfoWatch.com/12070107](http://www.SecurityInfoWatch.com/12070107)  
[www.intelligentopenings.com](http://www.intelligentopenings.com)



## Command Access Technology Retrofit Kit for Adams Rite Panics

Command Access, the company you trust for reliable products and exceptional service, now delivers a retrofit kit for Adams Rite 8000 series panics — with force and efficiency second to none. Only from CAT can you install this two-piece kit in 10-15 minutes with the device on the door! Now your service call or project becomes profitable; move on to the next job with the peace of knowing your locking and electronic issues will work.

- One kit for all 8000 series devices — eliminates order guess work
- Optional REX kit is field installable for your convenience
- Robust, custom motor works CVR's and mortise devices easily
- Patented 'PTS' technology with audible alerts
- Electric Dogging included; resets to unlock if pad is pulled out
- High torque mode switch is built-in for 'challenging opening forces'
- 700' wire runs with 18g wire reduces overall cost of opening
- Low current draw (1 Amp or greater linear/regulated PS required)
- 8' of wire included for easy connectivity
- The most competitively priced kit available anywhere!

Easy Install VIDEO available at the link below. Pair with a CAT Power Supplies for 100% confidence your PSS & locking hardware will work in harmony — simple, fast, reliable 3-year Warranty technology only from Command Access. For more information, contact us at 888-623-2277 or your representative.



Request more information: [www.SecurityInfoWatch.com/12140398](http://www.SecurityInfoWatch.com/12140398)  
[www.commandaccess.com](http://www.commandaccess.com)



## Alarm Lock's Trilogy Series with School Access Control Vulnerability Index

Alarm Lock offers the leading, largest line of electronic PIN/Prox access locks: Trilogy® and network-controlled wireless Trilogy Network™ for all door types, locks and keypads. Ideal when budgets, time or hardwired-system capacity runs short, you can use the same HID Prox ID cards, yet deploy in an hour, downtime-free, a door at a time, at less than a third of the cost.

Alarm Lock's Trilogy® Access Locks are ideal in case of emergencies, as these advanced wireless locks can provide schools, hospitals and business campuses immediate lockdown by pressing a button on a pocket-sized remote keyfob.

Alarm Lock's DL3200 standalone Trilogy Lock provides keyfob-activated classroom lockdown, from safely inside the classroom, with a typical range of up to 100'. For a global lockdown solution that also eliminates door-to-door operations, Trilogy Network™ can be locked down or unlocked campus-wide in under 10-seconds, from a keyfob, wireless panic button or from the school server.

SAVI, the Security Access-Control Vulnerability Index™ was created for security professionals to use as an objective, brand-agnostic audit tool to evaluate any school's access control vulnerability. On an easy electronic form, simply enter the kinds of security in place to both get their score, plus next steps for improved security. To become a certified SAVI professional, call 1-800-ALA-LOCK for training or email [SAVI@alarmlock.com](mailto:SAVI@alarmlock.com).

Request more information: [www.SecurityInfoWatch.com/11238845](http://www.SecurityInfoWatch.com/11238845)  
[www.alarmlock.com](http://www.alarmlock.com)



## THE BEST OF BOTH WORLDS

Need the convenience of wireless, but the real-time communication of online access control?

Then the new IN100 Aperio® wireless lock is for you.

- Remote lock/unlock in less than 10 seconds
- Streamlined design with your choice of black or white reader, 50+ levers and 14 finishes
- Simultaneous support for HID Mobile Access® and multiple credential types, including smart cards and Prox
- Seamless integration with a broad range of access control platforms

Available from ASSA ABLOY Group brands:  
CORBIN RUSSWIN | SARGENT

[IntelligentOpenings.com/IN100](http://IntelligentOpenings.com/IN100)



A wide range of Aperio wireless devices is available from ASSA ABLOY Group brands.



**ASSA ABLOY**



## Net2 Entry from Paxton Access

Net2 Entry from Paxton Access provides visitor control, access control, video, audio and alarm integration at the door. Now with Genuine HID Technology inside! It functions with one CAT5 cable providing power and data. The primary purpose of this solution is identify a visitor before they are granted entry to a facility. Using an enhanced feature like SIP integration we can deliver this function and level of control to a company's phone system, smart phone, computer, tablet and Net2 Entry monitor no matter where you are in the world.

Other features include:

- A new sleek design to meet architectural appearance requirements.
- Digital pan/tilt functionality to adjust the viewing frame.
- A back-lit keypad to improve visibility.
- An IK10 impact rating for our vandal resistant version.

A grouping feature within our user-friendly and free software platform enables you to separate a Net2 Entry system into multiple groups. This allows you to control which monitors can be called from selected panels. As with all of our Paxton products, installation of Net2 Entry is quick and easy because the units auto detect upon powering up. Scalable and expandable by using a standard PoE extension switch. Net2 Entry comes in a standard version and a vandal resistant version, both with flush mount, surface mount, and surface mount with rain hood options.

**Request more information:**  
[www.SecurityInfoWatch.com/12106078](http://www.SecurityInfoWatch.com/12106078)  
[www.paxton-access.com](http://www.paxton-access.com)



## Sustainable Access Control: EcoFlex and EcoPower from ASSA ABLOY

EcoFlex electrified mortise locks, available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, offer a remarkable 96 percent reduction in energy usage compared to standard electrified mortise locks. The lock is ideal for electronic access control applications whether it's used as a basic electrified lock in conjunction with a wall reader or in an integrated hard-wired lock.

EcoPower, from ASSA ABLOY Group brand Securitron, is a highly efficient power supply designed to work with low-power electrified locks. The small, 4-inch cube access control power supply reduces standby power consumption to only 8.5mW (0.0085W), a 99-percent decrease compared to current linear and switching power supplies.

When used together, the EcoFlex and EcoPower solution is GreenCircle® Certified to reduce power consumption up to 99 percent in both fail-safe and fail-secure applications, from up to 20W to 0.3W. This energy efficient solution offers a cost-effective alternative to traditional solutions. Recently recognized with a Top Product of the Year Award from the Environmental Leader Product & Project Awards, the EcoFlex and EcoPower solution showcases ASSA ABLOY's commitment to bringing more sustainable security solutions to the market.

**Request more information:** [www.SecurityInfoWatch.com/12072782](http://www.SecurityInfoWatch.com/12072782)

[www.intelligentopenings.com/ecoflex](http://www.intelligentopenings.com/ecoflex)



## Trine's 4800F: The Fire-Rated Rim Panic Priced for Everyday Use

The fire-rated 4800F electric strike solution from Trine is priced to compete with the non-fire-rated strikes in the same class that are used with rim panic devices, eliminating extra costs and additional SKUs. This allows specifiers and installers to use a fire-rated product every time. This takes the guesswork out of product selection helping to make price consideration a thing of the past. The 4800F also paves the way for fire-rated rim panics to become a standard.

Trine Access Technology has re-engineered the electric strike and made it better. The 4800F will replace the existing 4800 to remove confusion from the earlier non-fire-rated version still on the market. It is the fire-rated rim panic exit device solution for electric strikes.

The electric strike will maintain the features installers have come to expect over the years: a one-piece locking mechanism (instead of two like the competition), built-in electronics for 12-24AC & DC with surge and kickback protection (no extra 'pacs' like other strikes require), an included 1/8" spacer, and Trine's patented anchoring pin system.

**Request more information:**  
[www.SecurityInfoWatch.com/12202979](http://www.SecurityInfoWatch.com/12202979)  
[www.trineonline.com](http://www.trineonline.com)



## Clay Cloud-Based Electronic Locking Solution by SALTO

Revolutionary in design, usability and features, Clay by SALTO is the cloud-based electronic locking solution designed specifically for the small to medium-sized business market. Having re-invented the electronic access control market 15 years ago, SALTO is recognized as the leading innovator across the industry. Single-mindedly focused on delivering world-class access control systems that are simple to use, extremely efficient and cost-effective, SALTO has incorporated its proven wireless hardware into Clay. The result is a flexible and wide-ranging access control solution that works with virtually any type of door or locking application. No software installation, scaling on any device, secured login, intuitive design, anything you may expect from today's cloud solution is in My-Clay.com. Manage locks, people, messages and access rights with no hassle.

**Request more information:** [www.SecurityInfoWatch.com/12086364](http://www.SecurityInfoWatch.com/12086364)  
[www.saltosystems.com](http://www.saltosystems.com)



## Degree System from SARGENT

The Right Degree of Protection. The patented Degree system from SARGENT provides the right level of security for each opening in your facility with three levels of ANSI/BHMA Grade 1 protection, from patented keyway to UL437 certified. A common key for all three levels of security enhances key control and simplifies administrative procedures. Key blanks are controlled through authorized distribution and geographical protection is available. Available for mortise, rim, component and Large Format Interchangeable Core (LFIC) cylinders, SARGENT offers the right Degree of protection for every door in your facility.

**Request more information:** [www.SecurityInfoWatch.com/11238769](http://www.SecurityInfoWatch.com/11238769)  
[www.sargentlock.com](http://www.sargentlock.com)

## Access Control Solutions from Marks USA

Marks USA was established in 1977 as a mortise lock manufacturer that would meet the needs of an expanding market. Since then, the company has grown and expanded its product line to include residential, institutional and commercial locksets to meet and exceed the most stringent UL and ANSI specifications. Marks USA has the capabilities to produce both standard and custom items. The company's talented personnel possess the ability to think "outside the box." This kind of thinking has given Marks USA its niche in the contract hardware industry. Marks USA's product lines include architectural grade, BHMA & UL code compliant mortise, cylindrical & tubular locksets, electronic access control, biometrics, hospital/life safety & anti-ligature locksets, ornamental iron locksets, HI-SECURITY™ cylinders, panic devices and door closers.

**Request more information:** [www.SecurityInfoWatch.com/10217302](http://www.SecurityInfoWatch.com/10217302)  
[www.marksusa.com](http://www.marksusa.com)



# Est. 1882 in America

## Innovator of

Padlocks | Camlocks | IC Cabinet Locks | Electronic Locks



83 Series



CAT Series









72 Series



e901-3 Series

Contact an SHDA Distributor to Purchase  
Visit [CCLSecurity.com](http://CCLSecurity.com) to experience the full line of Innovation



Telephone: 800.733.8588 | Fax: 847.537.1881 | [www.CCLSecurity.com](http://www.CCLSecurity.com) | [info@CCLSecurity.com](mailto:info@CCLSecurity.com)

Request information: [www.SecurityInfoWatch.com/10213160](http://www.SecurityInfoWatch.com/10213160)





## HES K200: Flexible Solution for Cabinet and Drawer Access Control

The HES K200 cabinet lock makes it easy and cost effective to bring access control to cabinets and drawers where audit trail and monitoring are becoming increasingly critical. The K200 uses Wiegand communication between the integrated, multi-technology reader and an access

control system to deliver full access control to cabinets and drawers. It installs easily on cabinet doors and lockers with door thickness up to 1-½", enabling real-time audit capabilities and door monitoring at the drawer or cabinet level. The K200 offers a convenient, single credential solution for compliance and safety throughout your facility and can control and track access to pharmaceuticals, prototypes, restricted documents, evidence, tools and high-value materials.

HES also offers the K100, an wireless locking option with Aperio® technology that uses secure wireless communication between the lock and an Aperio hub to connect to an access control system with existing credentials. Two models are available to support low- or high-frequency cards. The K100 is available as either a pre-configured lock and hub kit or as part of a larger integrated access control deployment.

For more information about HES cabinet lock solutions visit the links below.



**Request more information:**  
[www.SecurityInfoWatch.com/12140539](http://www.SecurityInfoWatch.com/12140539)  
[www.hesinnovations.com](http://www.hesinnovations.com)



## Yale nexTouch™ Keypad Access Lock

Yale Locks & Hardware introduces nexTouch™, the next generation of keypad access control. Featuring an advanced voice-guided system to simplify user programming and maintenance, Yale nexTouch is available with a capacitive touchscreen that is intuitive and easy to use, as well as an ADA-compliant

push button keypad option for more tactile environments.

The nexTouch cylindrical lock fits easily into standard door preps for effortless installation and features a new privacy button

that prevents access from the outside.

A truly scalable solution, nexTouch can be used as a stand-alone keypad lock that uses a PIN code to manage access; can easily be upgraded to utilize Data-on-Card technology as part of the Yale Multi-Family Solution; or can be upgraded for easy expansion of ZigBee or Z-Wave capable alarm systems in small business environments. The ability to install a single lock that can utilize multiple technologies allows facilities to minimize their investment costs while providing an easy migration path to more connected systems.

Yale's innovative new product offers a multitude of benefits for building owners and developers, including reduced maintenance, easy management of access rights, and increased security. When you need the perfect balance of modern technology and advanced security, Yale Works for You™.

**Request more information:**  
[www.SecurityInfoWatch.com/12192330](http://www.SecurityInfoWatch.com/12192330)  
[www.yalelocks.com/nexTouch](http://www.yalelocks.com/nexTouch)



## SELECT Geared Continuous Hinge

Do your customers complain about a "problem door?" Chances are, the problem isn't the door. Or even the lock. Fix the real problem — worn butt and pivot hinges — and deliver total door service with SELECT geared continuous hinges. A SELECT geared continuous hinge surpassed 25,000,000 open/close cycles in laboratory testing — equivalent to 60 years of high-traffic use and 10 times beyond BHMA Grade 1 cycle count. That's why we can offer the industry's only Continuous Warranty™, a warranty that never expires. SELECT hinges eliminate hinge repairs forever and are ideal for high-traffic doors in retail storefronts, schools, convention centers, sports facilities, airports and other public buildings. Call 800-423-1174

**Request more information:**  
[www.SecurityInfoWatch.com/12070571](http://www.SecurityInfoWatch.com/12070571)  
[www.select-hinges.com](http://www.select-hinges.com)



## Magnetic Cam Lock from Capitol Industries

Capitol Industries has developed a magnetic cam lock which is key-operated, can be installed into a standard double-D cutout and uses a standard square end extension on the plug to accept any shape of offset, hooked or straight locking cam. A group of magnets is located below the surface at the front of the cam lock. The key also contains a group of magnets. If the proper key is used, the brass discs are magnetically rotated until notches in the brass discs are aligned in an unlocked position and the key can be turned to operate the cam lock.

**Request more information:** [www.SecurityInfoWatch.com/12203065](http://www.SecurityInfoWatch.com/12203065)  
[www.capitolindustriesinc.com](http://www.capitolindustriesinc.com)

## i-LOCK from CCL Security Products

CCL Security Products® is an innovative designer and manufacturer of electronic and mechanical locks for doors, cabinets and lockers. CCL locks are stylish, very easy to fit and are sold with "everything you need in the box" to fit them, including parts, instructions and templates. The CCL i-LOCK™ is a stylish and convenient alternative to traditional locks and keys. They use a four-digit code rather than a key to secure lockers and cabinets in gyms, leisure centers, spas, schools, hospitals, data centers, offices, warehouses — any cabinet and locker application!

**Request more information:** [www.SecurityInfoWatch.com/12203003](http://www.SecurityInfoWatch.com/12203003)  
[www.cclsecurity.com](http://www.cclsecurity.com)



## The NDE Series from Schlage. Security inside and out.

ENGAGE™ technology simplifies the ability to connect people with openings, and - is now suitable for applications where the outside escutcheon is exposed to the elements. Akron Hardware simplifies your ability to get Schlage products fast. Call today, and it ships today. Order the NDE online, and we pay the FedEx Ground. **Powerful Solutions** along with added value. Why go anywhere else for Schlage?



AKRON HARDWARE™

**Powerful. Solutions.**

800-321-9602 • [www.akronhardware.com](http://www.akronhardware.com)

Request information: [www.SecurityInfoWatch.com/12071932](http://www.SecurityInfoWatch.com/12071932)



## Sargent 80 Series Exit Device with Lock/Unlock Indicator

Ideal for use in educational facilities on wood or metal doors, the Sargent 80 Series rim exit device offers an easy way to lock the outside trim from the inside without opening the door and putting people in harm's way, providing the best combination of durability, simplicity, strength, aesthetics and innovation.

The Lock/Unlock Indicator option (49-) provides a visual means of determining if a door has been secured by the cylinder on the inside of the room. Available on new or existing devices with a double cylinder function, the visual display eases concerns about knowing if doors are locked because the indicator reminds the occupants.

The indicator is located on the exit device chassis displaying a red icon when the device is locked and a white icon when the device is unsecured.

The indicator is housed in the chassis cover with no protruding parts and a clear window to protect it from wear and abuse so the indicator cannot be forced or bent or interfere with the function of the device.

**Request more information:**  
[www.SecurityInfoWatch.com/12023754](http://www.SecurityInfoWatch.com/12023754)  
[www.sargentlock.com](http://www.sargentlock.com)

**SARGENT**  
**ASSA ABLOY**

## CL3100 Series Lock from Corbin Russwin

Corbin Russwin's CL3100 Series is the ideal solution for the toughest environments within education and healthcare facilities. With unique, patented T-Zone lock construction where the lockbody and latch tube interlock in the critical twist area, the



CL3100 will last the lifetime of a facility. Tested to over 15 million cycles and over 3000 inch lbs. of torque, the vandal resistant lock provides strength and durability that easily exceeds ANSI/BHMA Grade 1 requirements for torque and cycle testing. And, because few components are required when changing the lock function, the design simplifies facility maintenance and lowers the cost of ownership.

Available in 18 functions with 12 hardware finishes including an anti-microbial coating to supplement cleaning protocols for healthier environments, the CL3100 Series integrates into most existing facility's key systems and retrofits most standard 161 cylindrical lock door preps.

In addition, the CL3100 Series contributes to your sustainability effort with less lock replacements due to its long life and high post-consumer recycled content.

Flexible, strong, and durable — this lock can take whatever you give it.  
**Request more information:** [www.SecurityInfoWatch.com/10836842](http://www.SecurityInfoWatch.com/10836842)  
[www.corbinrusswin.com](http://www.corbinrusswin.com)

**Corbin Russwin**  
**ASSA ABLOY**





## ACCESS CONTROL & DOOR HARDWARE

### DynaLock 2011-390 Electromagnetic Lock

The DynaLock 2011-390 Electro-magnetic Lock is designed to be a dimensionally exact retrofit for the Locknetics 390+ maglock. It features matched mounting and wire entry hole locations, as well as coil and armature positioning, to precisely fit existing 390+ door and frame preparations. Rated for 1200 Lbs. holding force, the 2011-390 shares all DynaLock 2000 Series electronic options. The 2011-390 is made in the USA and carries the exclusive DynaLife® lifetime warranty.

Popular features include:

- Exact-fit replacement for the Locknetics Model 390+ MagLock
- Matched 390+ Series Mounting Hole & Wire Entry Locations
- Matched 390+ Series Coil & Armature Positioning
- Dimensions: 2-3/4" H x 1-1/2" D x 10-1/2" L (Single); 20-5/8" L (Double, Model 2022-392)
- Holding Force: 1200 Lbs.
- Voltage: 12 or 24 VDC/VAC, Field-Selectable
- Current Draw: 220 mA at 24VDC / 440 mA at 12VDC (Single)
- 440 mA at 24VDC / 880 mA @ 12VDC (Double)
- Supports All DynaLock 2000 Series Electronic Options

Request more information:  
[www.SecurityInfoWatch.com/12023821](http://www.SecurityInfoWatch.com/12023821)  
[www.dynalock.com](http://www.dynalock.com)



### SDC's Exit Check S6000-101: Delayed Egress All-In-One



SDC's Exit Check® S6000-101 All-In-One delayed egress panic and fire exit device comes with controller and delayed egress logic all integrated into the bar. Available in rim mount, mortise and vertical rod (surface mount & concealed) configurations, the All-In-One is perfect for retail loss prevention, pedestrian control, wandering patient control and nursery infant protection. Audible alarm and multi-colored LED provide alert to unauthorized egress when initiated by depressing the push pad. A key switch provides reset and bypass control. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

#### Benefits:

- Eliminates need for separate delayed egress controller
- Reduces door and frame prep
- Perfect for exit device retrofits and upgrades

#### Series Features:

- 15 second exit delay, 1 or 2 second nuisance delay
- Built-in Visual and Audible Annunciation
- Single or Tandem doors
- Key reset, bypass
- Field-selectable 1 to 30 second request-to-exit, anti-tailgate and door prop alarm

The UL Listed All-In-One is designed to provide code compliance at a competitive price point versus other delayed egress solutions, perfect for tight budgets. And, the All-In-One is built on an open platform for ultra-compatibility and operates with low power consumption, requiring less than 1 amp from your power supply. For more info about the All-In-One, including data sheet and installation instructions, visit the links below.

Request more information:  
[www.SecurityInfoWatch.com/12202962](http://www.SecurityInfoWatch.com/12202962)  
<http://sdccsecurity.com/S6000-101-delayed-egress-all-in-one2.htm>



### SARGENT's 11 Line Bored Lock

SARGENT's 11 Line lock sets a higher standard for Grade 1 bored locks. Its unique, T-Zone construction provides unequalled strength, durability and security by interlocking the lockbody and latchbolt. The direct linkage between the two is the best construction for quietly and effectively operating the latchbolt.



Ideal for the most demanding environments within schools and hospitals to keep occupants and property safe and secure, the 11 Line easily exceeds ANSI/BHMA Grade 1 requirements for torque (2 times the standard) and cycle testing (18 times the standard). The 11 Line will integrate into most existing facility's key systems, accepting all SARGENT key systems including patented Degree and Signature as well as Schlage® and Medeco LFIC. And, the 11 Line retrofits any standard cylindrical lock door prep.

The 11 Line design, combined with its long lasting components, also simplifies facility maintenance and lowers the cost of ownership by utilizing a single lock body for all functions and requiring fewer inventoried parts. Flexible, durable, reliable — this lock can take whatever you give it.

Request more information: [www.SecurityInfoWatch.com/12070074](http://www.SecurityInfoWatch.com/12070074)  
[www.sargentlock.com](http://www.sargentlock.com)



### CA3000 Enterprise Security Software from Continental Access



CA3000 version 2.9 software from Continental Access, a division of Napco Security Technologies Inc., not only provides robust access control functionality and seamless integration with alarms, locking and a growing list of video systems, but offers a host of many sought-after features, including the ability to run the CardAccess 3000 and associated applications as Windows services and the ability to control access to the CardAccess GUI using Lightweight Directory Access Protocol (LDAP).

Support for the Continental's new and robust Super-Speed 16-door Accela-term Controller is also available. Plus, more video integration partners have been added to their growing list, now including Pelco, HiTron, Milestone, Dedicated Micros, as well as Salient and Integral. New CA3000 v2.9 also includes many enhancements to the existing features, providing the front-end of Napco Fusion, it is the complete seamless interoperable solution for Gemini Intrusion & Fire Systems, access control, video and wireless locks.

The CardAccess 3000 version 2.9 software also provides additional support for sister division, Alarm Lock's Trilogy Network locks, now in both cylindrical and mortise models, with the utilization of a Door position contact and Request To Exit (RTE) button feature. Continental offers training classes across the country and free online webinars, as well as retrofit rebate programs and cost-saving software upgrade plans.

Request more information: [www.SecurityInfoWatch.com/10834305](http://www.SecurityInfoWatch.com/10834305)  
[www.cicaccess.com](http://www.cicaccess.com)



## Take the next step in security

Yale Commercial Solutions



Introducing nexTouch™, the next generation of keypad access control from Yale. nexTouch combines effortless installation and innovative technology for a truly scalable solution:

- ▶ Use as a stand-alone keypad lock to manage access with PIN codes
- ▶ Utilize Data-on-Card technology as part of the Yale Multi-Family Solution
- ▶ Easily expand Zigbee or Z-Wave capable alarm or automation systems for use in small businesses

When you need the perfect balance of security, convenience and flexibility, Yale Works for You<sup>SM</sup>.

Learn how you can take the next step in security  
[www.yalelocks.com/nexTouch](http://www.yalelocks.com/nexTouch)

nexTouch™

Copyright © 2016, Yale Security, Inc., an ASSA ABLOY Group company. All rights reserved.

An ASSA ABLOY Group brand

Request information: [www.SecurityInfoWatch.com/10215674](http://www.SecurityInfoWatch.com/10215674)

ASSA ABLOY



## Innovative Lock Management Solutions for Multi-Family Housing from Yale



Yale Locks & Hardware introduces its Multi-Family Solution, featuring Yale Accentra™ lock management software for multi-family housing. The cloud-based software allows facility administrators to easily manage access rights for residents, guests and employees.

Yale Accentra is a dedicated web-based software designed to eliminate costs and maintenance of on-site servers and ensure that databases are always accessible and secure. The software is accessible from any internet-connected device, including Mac, PC, smartphone or tablet. Yale Accentra features an intuitive interface that requires minimal training and a responsive design that automatically optimizes for any device.

The software seamlessly manages the Yale multi-family solution, which includes nexTouch™ access control locks for common areas and exterior doors, Yale Real Living™ digital deadbolts and interconnected locks for residence doors, and a credential updater, based on secure HID® technologies, for updating access rights and transmitting audit trails.

The software enables easy management of multiple properties and employees with access to multiple sites. It also allows property managers to distribute one-time-PINs (OTPs) for unit lockout, lost cards, or emergency access.

With Yale Accentra, residents of a multi-family property are afforded a new level of convenience, allowing them to request temporary access for guest or maintenance staff, control common area access for family members and easily obtain new credentials if needed. Building owners, developers, and property managers benefit from easier management of access rights, increased security and reduced maintenance costs.

**Request more information:** [www.SecurityInfoWatch.com/12202897](http://www.SecurityInfoWatch.com/12202897)

[www.intelligentopenings.com/MFH](http://www.intelligentopenings.com/MFH)



## Access 3® Key System from Corbin Russwin



The Access 3® key system from Corbin Russwin provides multiple levels of utility — patented protection to offer the right level of custom security for each opening in your facility. Three levels of ANSI/BHMA Grade 1 protection secures every opening, from patented keyway to UL437 certified.

Access 3® AP is the first level of protection. It features a utility patented keyway and provides protection against bumping for mortise, rim and component cylinders. Access 3® AS combines a utility patented keyway and patented side bar locking with unique angled bottom pins that provide end users with geographical exclusivity. Cylinders provide protection against bumping and picking.

Access 3® AHS is the highest level of security. It combines a utility patented keyway and side bar locking with unique angled bottom pins that provide end users with geographical exclusivity. Cylinders are constructed to provide protection against bumping, picking, drilling and physical attack, and are certified to UL437.

A common key for all three levels of security enhances key control and simplifies administrative procedures. Key blanks are controlled through authorized distribution, and unauthorized key duplication is patent protected through 2027. Bump resistance is standard for all three Access 3® levels, and geographical protection is available. Available for mortise, rim, component and Large Format Interchangeable Core (LFIC) cylinders, Corbin Russwin offers the right protection for your facility.

**Request more information:** [www.SecurityInfoWatch.com/11237948](http://www.SecurityInfoWatch.com/11237948)

[www.corbinrusswin.com](http://www.corbinrusswin.com)



## ASSA ABLOY IN120 WiFi Locks

The IN120 WiFi lock, available from ASSA ABLOY Group brands Corbin Russwin and SARGENT, offers the ease and flexibility of WiFi in a streamlined design. By enabling more cost-effective installations, the IN120 allows facilities to expand access control coverage to more doors. Ideal for use in hard-to-wire locations, it uses standard IEEE 802.11b/g/n Wi-Fi connectivity to connect to the access control system, significantly reducing installation costs and eliminating the need for proprietary equipment. The IN120 utilizes HID® multiCLASS SE® technology to support a wide range of credential types and HID Mobile Access® powered by Seos®. Featuring integrated ANSI/BHMA Grade 1 hardware, the IN120 is available in cylindrical and mortise lock configurations, with black or white reader and a broad range of finishes and levers.

**Request more information:** [www.SecurityInfoWatch.com/12070096](http://www.SecurityInfoWatch.com/12070096)  
[www.intelligentopenings.com/IN120](http://www.intelligentopenings.com/IN120)



## Kwikset's Keyway-Less Touchscreen Lock

Kwikset unveiled the company's first keyway-less touchscreen deadbolt at ISC West. The sleek, low-profile touchscreen is the centerpiece of five new residential door locks that were introduced at the show. Eliminating the keyway has allowed Kwikset to create a visually striking, cutting-edge touchscreen deadbolt that elevates the design and security of residential door locks by merging a sleek and modern exterior, a small all-metal interior, and advanced mechanical and electronic security features. The removal of the keyway also takes away the threat of "lock-picking" and "lock bumping." In the unlikely event the four AA batteries run out of power, backup power can be supplied via a 9V battery.

**Request more information:** [www.SecurityInfoWatch.com/12196517](http://www.SecurityInfoWatch.com/12196517)



## Ford Offset Side Mill Key from STRATTEC

STRATTEC is pleased to announce the introduction of the Ford offset side mill key. The 5923293 (Ford OE number 164-R8128) is used on the 2015 and 2016 F-150 trucks.



It provides the next level of security as it has a 128-bit transponder. The key can also be used for other 128-bit applications such as the Ford Fusion. Please refer to the STRATTEC 2016

Key Chart for more information and to our website <http://aftermarket.strattec.com> for complete applications.

**Request more info:** [www.SecurityInfoWatch.com/12140496](http://www.SecurityInfoWatch.com/12140496)

[www.strattec.com](http://www.strattec.com)



## GM Logo Keys from STRATTEC

STRATTEC is pleased to announce the introduction of two new GM logo keys. GM is eliminating the individually branded keys and will only offer the GM logo. These keys are the approved design from GM with a specifically approved keyhole dimension and key ring. The 5928819 (GM OE number 23372322) will work on all applications serviced by the current circle plus keys. The 5928818 (GM OE number 23372321) will work on all applications serviced by the current 75 Groove keys. The 75 groove keys replaced with this number are all non-transponder versions. Please refer to the STRATTEC 2016 Key Chart for more information and to our website <http://aftermarket.strattec.com> for complete applications.

**Request more info:** [www.SecurityInfoWatch.com/12140481](http://www.SecurityInfoWatch.com/12140481)

[www.strattec.com](http://www.strattec.com)

## proxSafe maxx Key Cabinet from Deister Electronics

The proxSafe maxx Key Cabinets from Deister Electronics blends the functionality of a professional key management system with a sleek design for use in a prominent location. The cabinet enables users to attach a Smart KeyTag to each key or key set, which is locked into a proxCylinder slot in the cabinet, allowing employees to access only the keys they are authorized to have. An automatic roller shutter door keeps keys hidden from view and allows the cabinet to be located in areas such as a corridor, where a conventional hinged door may be problematic due to space. Available in 32 or 64 keyTag capacity.

**Request more info:** [www.SecurityInfoWatch.com/12202677](http://www.SecurityInfoWatch.com/12202677)



## Don't Roll the Dice!

Reconditioned knock-off fobs are a real crap shoot when it comes to quality and reliability. The sure bet is STRATTEC for genuine replacement fobs! As an authorized aftermarket supplier for Ford, General Motors, Chrysler and many others, our genuine replacement products tell consumers you have a reputation for quality and professionalism.

**SUPERIOR QUALITY.** STRATTEC genuine replacement fobs are manufactured with the same rigorous quality standards that OE manufacturers demand.

**STRONGER SUPPORT.** Generations of locksmiths have put their trust in our products. Through our distributor partners and professional locksmith organizations, STRATTEC has the winning hand in training and technical support.



<http://aftermarket.strattec.com>



**Put your chips on a winner!**  
Always insist on STRATTEC genuine replacement fobs.



**Request more info:** [www.SecurityInfoWatch.com/10215947](http://www.SecurityInfoWatch.com/10215947)





## POWER SUPPLIES

### Trove™ Access and Power Integration Solution from Altronix

Trove enclosures combine Altronix power with access controllers and accessories from leading manufacturers. Recent additions to the Trove line include backplanes for AMAG, CDVI, KABA/KeyScan and Software House access controllers



and accessories, as well as the introduction of Trove1, a compact enclosure that accommodates CDVI, HID/VertX and Mercury controllers.

An optional TMV2 door backplane is also offered for maximum installation capacity and flexibility. Systems can be wired and pre-tested prior to on-site installation for added cost and performance benefits. All Trove units include a cam lock, tamper switch and mounting hardware. Trove simplifies board layout and wire management,

greatly reducing installation and labor costs, and provide the versatility and scalability installers need to easily configure their products.

Request more information: [www.SecurityInfoWatch.com/12118951](http://www.SecurityInfoWatch.com/12118951)

[www.altronix.com](http://www.altronix.com)



### PSX Power Solutions from Tyco Security Products

Tyco Security Products' high-efficiency PSX Power Solutions provide clean, uninterrupted power to Software House iSTAR door controllers, ensuring security system integrity during power failures. With advanced monitoring and diagnostic features, these power

supplies provide the ability for complete network-based health monitoring and control of the power system. Available in single and dual voltage configurations, they provide the supervision of ground fault, reverse battery, fire alarm activation, switched and resettable output status, intelligent battery charging, and battery state monitoring. The system can provide automatic email alerts on events such as an aging/drainage battery, AC or system faults, and voltage/current/temperature alarms. Optional Network Communication Module allows power monitoring via LAN or WAN.

Request more information: [www.SecurityInfoWatch.com/12102489](http://www.SecurityInfoWatch.com/12102489)

### Minuteman Entrust LCD Series Uninterruptible Power Supplies

Para Systems Inc.'s Minuteman Entrust LCD Series of uninterruptible power supplies (UPS) offers complete power protection designed to protect valuable equipment such as desktop computers, file servers, network devices, security systems, voice communications equipment and home entertainment systems. The UPS utilize Automatic Voltage Regulation (AVR) technology, surge protection and battery backup. With four models ranging from 550VA to 1500VA, these products feature an ultra-slim footprint that is ideal for placement on or under a desk, while also allowing installation vertically in tight spaces, including cabinets and rack shelves. A new LCD status display enables users to stay on top of all aspects of their power at a glance.

Request more information: [www.SecurityInfoWatch.com/12168095](http://www.SecurityInfoWatch.com/12168095)



### D-Link's DGS-1100 Series Switches

D-Link's DGS-1100 Series provide an affordable solution for small and medium businesses and enterprises, such as in branch offices and meeting rooms that require simple network management. There are four switches in the series supporting Power-over-Ethernet with two of the switches offering high-power-budget PoE for businesses looking to power wireless access points or network cameras. The D-Link DGS-1100-10MP (pictured) features eight 10/100/1000 PoE+ ports and two Gigabit SFP ports. It comes with all the essential Layer 2 switching features, energy-saving features, 802.3af/at support and limited lifetime warranty. Other features include: 130W PoE budget, surveillance mode user interface, ONVIF support and 6kV surge protection.


Request more information: [www.SecurityInfoWatch.com/12172336](http://www.SecurityInfoWatch.com/12172336)

### Smooth Operator for Life: Cylindrical Survivor™ Lockset Outlasts All

#### MODEL 195 CYLINDRICAL LOCKSET

- 3 Times the BHMA ANSI Grade 1 Spec — Over 3.6 million cycles
- Higher quality, longer lasting, lower maintenance design
- Competitively-priced for exceptional value
- Unique stainless steel "retractor" with bronze bearings dramatically reduces wear & abuse
- Marks Lifetime Mechanical Warranty
- 3-Hour Fire Rated; 2-3/8" and 2-3/4" Backsets

Built to stand up, ask your Marks distributor or Rep today.



**MARKSUSA**  
Value-Engineered Locks for Life.

1-800-526-0233 • [salesinfo@marksusa.com](mailto:salesinfo@marksusa.com) • [www.marksusa.com](http://www.marksusa.com)

Request information: [www.SecurityInfoWatch.com/10214311](http://www.SecurityInfoWatch.com/10214311)

## Generate Incremental RMR by Replacing Commercial Fire Customers' Landlines

Meet Code & Replace them  
With Universal Commercial  
Fire Alarm Communicators –  
Report Alarms from all FACPs

as low as **\$59.95<sup>NET\*</sup>**



### Universal Sole & Dual Path Cellular/IP Fire Communicators

- Save accounts \$100's per month using cellular alarm reporting vs. costly, disappearing leased landlines
- Meet all of today's NFPA 72 & UL Codes with Easy Installation
- Commercial Fire Alarm Reporting from any brand 12V-24V panel or FACP that uses Contact ID or 4/2
- Get \$70 Savings on trading up unlimited fire radios. Standard & mercantile models – from \$59.95<sup>NET\*</sup>
- Broadest Coverage Available: Full data, primary or backup, CDMA, Verizon Network Certified™
- Ultra-Economical service plans to meet any code



Scan QR Code for Offer Details

\*Scan QR code or go online for offer details. Prices quoted in USD. Void where prohibited. Verizon Certified & other trademarks of their respective cos. StarLink is a trademark of Napco.

**StarLink**  
COMMERCIAL FIRE CELLULAR & IP  
NFPA72 / UL / CSFM / NYCFD BACKUP

1.800.645.9445 [www.napcosecurity.com/starlink](http://www.napcosecurity.com/starlink)  
Request more info: [www.SecurityInfoWatch.com/10215125](http://www.SecurityInfoWatch.com/10215125)





# ALARMS & INTRUSION DETECTION



# ENTERPRISE SYSTEMS

## Detex EAX-300 Door Prop Alarm

Door prop alarms are low-cost, desirable solutions to propped open doors. Helping keep energy costs down by ensuring the doors are closed, they also serve a vital security need. Sounding when a door is left open too long, door prop alarms help ensure access control systems are used as intended. The EAX-300 Battery Powered Door Prop Alarm from Detex is designed for applications where doors may be used but not held or propped open. An intelligent circuit senses the external magnet location automatically, sounding an alarm when the door has been open too long, and automatically rearms when the door has been closed again.

The EAX-300 consists of secure, tamper resistant housing, a 100 decibel alarm, and LED visual arming indicators. It is powered by a 9VDC battery and features a low battery alert. The EAX-300 is built so that it can be mounted on the door, including on narrow stile doors, or on the wall.

Many options are available, including Key Stop (always armed when key removed), Status Indicator, gray or black housing color, and kits for wall mounting. A weatherized version of the EAX-300 is available for use on gates or doors that are outdoors or exposed to the elements. Weatherized electronics are certified to driving rain and salt fog testing. For the weatherized battery-powered door prop alarm, simply specify EAX-300W.

Request more information: [www.SecurityInfoWatch.com/10625001](http://www.SecurityInfoWatch.com/10625001)  
<http://detex.com>



## Get Video Alarm Verification and Outdoor RMR with Videofied, Available at ADI Global Distribution

Videofied, part of Honeywell Security & Fire, is now available from ADI Global Distribution. Videofied is a wireless alarm system that sends a short video clip to monitoring stations for immediate video verification of the alarm and priority response by law enforcement.

In 2014, the owner of a vacant warehouse that was having issues with copper theft had an outdoor-rated Videofied system with Outdoor MotionViewers® installed. Within two hours, the monitoring station received a video alarm showing two intruders and dispatched law enforcement. Minutes later, the police had the two individuals in handcuffs. Later that same night, the Videofied system alerted the monitoring station about a second intrusion which quickly led to two more arrests. With the Videofied installation, four arrests were made in under eight hours as a response to two Videofied alarms.

As the global leader in video verification, Videofied secures construction sites, solar panels, agricultural assets, vehicle lots and critical infrastructure. With a battery-powered, long-range outdoor control panel that communicates over cellular, Videofied can protect any property in any weather condition.

ADI has been distributing the latest technologies and top brands to residential and commercial dealers of all sizes for more than 25 years. Videofied products can be found in over 100 ADI locations across North America or on the ADI Website.

Request more information: [www.SecurityInfoWatch.com/12202968](http://www.SecurityInfoWatch.com/12202968)  
<http://adiglobal.us>



## Waterproof Alarm Contacts from Tane Alarm

Tane Alarm Products, New Hyde Park, N.Y., has added four waterproof alarm contacts to its current line of commercial alarm contacts in track-mount, overhead and surface-mount styles. All feature very wide gaps and three of the four additionally offer armored cases and cables.

These new contacts are suitable for non-submerged installations in locations exposed to the weather, such as warehouse doors, boatsheds, swimming pool gates, job site tool boxes, storage containers, marine facilities and remote field production installations. The MET-46WG-WP18 (pictured) promises to be the most sought-after version, based on sales of the non-waterproof model of the same part.

Request more information: [www.SecurityInfoWatch.com/12203052](http://www.SecurityInfoWatch.com/12203052)  
[www.tanealarm.com](http://www.tanealarm.com)



## Southwest Microwave's INTREPID UniZone Fence Detection Sensor

Southwest Microwave's INTREPID UniZone Plug-and-Deploy Fence Detection Sensor is a high-performance, standalone intrusion sensor designed to reliably and cost-effectively protect smaller critical infrastructure sites vulnerable to terror attack, sabotage, asset theft or liability risk. Based on the supplier's MicroPoint smart-sensor technology and designed to perform in harsh outdoor environments, the product protects up to 200 linear meters of fence line. Engineered for quick, easy installation and programming, the system is driven by a UniZone sensor mounted to the fence or in a nearby control room, connected to a length of MicroPoint sensor cable tie-wrapped to the fence or topper to detect cut or climb attacks.

Request more information: [www.SecurityInfoWatch.com/12178616](http://www.SecurityInfoWatch.com/12178616)



## NAPCO Commercial Addressable Fire or Gemini Combo Burg/Fire Systems

Napco Security Technologies Inc.'s Commercial Platform is a full line of Commercial Fire or Gemini Intrusion/Fire Systems configurable for wireless, hardwire, analog, addressable or conventional technology devices.

Now offering speedier setup and installation with new Quick-Start faster programming, the UL commercial grade wireless fire and burglary devices are installed in a fraction of the time. There is a new fire-only program menu and standard fire alarm system preset template you can build on. All you will need to do is enter the quantity and type of devices — they will be auto-inserted, mapping inputs to outputs that are clearly color-coded.

Auto-Learn discovers and identifies addressable devices on loops. It will preload descriptions, e.g., "smoke detector" — and list the quantity of modules, sensors and relays for each. Fast Track Diagnostics automatically distinguish minor warnings from critical errors. Enhanced battery and voltage calculators are included.

The NAPCO Commercial Platform includes built-in labor savings, incredible power, and feature-rich value that's easy to plan-out and standardize on for 255, 128 or 32 points of commercial wireless, analog addressable and/or 12V conventional installations; and it is fully compliant with the most rigorous industry standards, including UL864 9th Ed., NFPA72, SIA CP01 and more.

Features include easy AHJ calcs; up to 32AH standby separate for burglar and fire; and remote/onsite uploadable smoke sensitivity reporting.

Request more information: [www.SecurityInfoWatch.com/10524477](http://www.SecurityInfoWatch.com/10524477)  
[www.napcosecurity.com](http://www.napcosecurity.com)



## SDC Door Prop Alarms

Improve security with a cost-effective door prop alarm. All SDC door prop alarms feature audible sirens with adjustable timer settings, two outputs, bypass status indicator light, and vandal-resistant aluminum construction. Available to install in single gang or double gang enclosures, SDC door prop alarms also offer optional Push-To-Exit buttons and Cylindrical and Mortise Reset/Bypass Switches.

- Adjustable Timed Delay
- Exit Alarm on Door Opening
- Automatic or Manual Alarm Reset
- Output Relays
- LED Indicator
- Optional Key Reset/Bypass Switch
- Optional REX Push Button
- Compact Universal Mounting

With a visually appealing and functional design, SDC Door Prop Alarms are compatible with all access control systems but can also function as a stand-alone solution. Now you can support positive access control and security behavior by students on campus and employees at facilities.

Do you have a sneaking suspicion your doors are open? Stop door propping, "tailgate" sneak, and start securing.

For details and specifications, visit the links below.

Request more information: [www.SecurityInfoWatch.com/12202920](http://www.SecurityInfoWatch.com/12202920)  
<http://SDCsecurity.com/DoorPropAlarm>



## DSC's PG9922 Glass Break Detector

DSC's PG9922 Glass Break Detector adds an extra layer of protection to home and business perimeters, providing instant identification and notification of a broken window or glass door. Its proprietary microphone technology detects and analyzes sounds and analyzes patterns. Smart data analysis reliably captures real broken window /glass door events only. The detector's three-stage, multi-level classification minimizes false alarms to near zero. Immediate siren activation upon glass break can deter burglars, preventing a full break-in. Compatible with PowerSeries Neo system and PowerG receivers, the glass break detector provides advanced security to protect property, prevent damage to content and avoid unnecessary costs.

Request more information: [www.SecurityInfoWatch.com/12198336](http://www.SecurityInfoWatch.com/12198336)



## ALL-NEW MAGNETIC CAM LOCK

- ✓ Keys cannot be copied
- ✓ Lock cannot be picked/bumped
- ✓ Resistant to glue, dirt, and other contaminants
- ✓ Retrofit from any standard cam lock
- ✓ Over 1,500 magnetic locking combinations
- ✓ Discreet



**High-Security Features  
Fraction of the Cost**



1.800.567.0451 #392  
[info@capitolindustriesinc.com](mailto:info@capitolindustriesinc.com)  
[www.capitolindustriesinc.com](http://www.capitolindustriesinc.com)



Request information: [www.SecurityInfoWatch.com/12203064](http://www.SecurityInfoWatch.com/12203064)



## Hanwha Techwin America's WiseNet Lite Cameras

Hanwha Techwin America's innovative WiseNet Lite models include new Network PTZ dome cameras and IR Cameras with a variety of features, all at an extremely competitive price. Seven cameras have been added to the WiseNet Lite Series:

- **Network PTZ Dome Cameras** (Models: SNP-L5233, SNP-L5233H, SNP-L6233, SNP-L6233H and SNP-L6233RH)
- **Vandal-Resistant Network IR Cameras** (Models: SNV-L6013R and SNV-L6014RM)

The new WiseNet Lite dome PTZ cameras offer 23x optical zoom and 12x digital zoom along with 100dB Wide Dynamic Range (WDR) performance, and the SNP-L6233RH includes two built-in IR LEDs and IR-corrected optical zoom for viewing high-resolution in extreme low-light and no-light situations. The SNP-5233, SNP-5233H, SNP-L6233 and SNP-L6233H offer low-light performance to 0.56 lux (color) or 0.005 lux (black-and-white). All five dome cameras also offer tamper, virtual line, appear/disappear and facial detection intelligent video analytics (IVA).

The SNV-L6013R and SNV-6014RM Full HD Vandal-Resistant Network IR Cameras provide low-light performance at 0.15 lux (color) and 0 lux at F1.8 for black-and-white using built-in IR LEDs. Both are IR viewable at 15m and feature motion and tampering detection. The Hallway View feature provides 9:16 ratio coverage of narrow aisles and passageways, allowing users to rotate camera lenses by 90° and video in the web viewer by 90°/270°. Lens Distortion Correction (LDC) compensates for image distortion that can occur with wide angle lenses.

The SNV-L6014RM also includes a built-in microphone for two-way audio capability, and M12 connector support for mobile applications.

**Request more information:** [www.SecurityInfoWatch.com/12191594](http://www.SecurityInfoWatch.com/12191594)  
[www.hanwhatechwin.com](http://www.hanwhatechwin.com)



## FLIR's FC-Series ID Thermal Security Cameras

FLIR Systems Inc.'s FC-Series ID thermal security cameras combine built-in analytics for high-performance intrusion detection, industry-leading image quality designed for high-end commercial users and an expanded selection of high-performance lenses to suit a range of applications.



The cameras deliver thermal image detail with on-board edge-based video analytics in a single device. They feature easy-to-create custom trip wires and regions of interest and are also capable of automatically detecting and classifying human, vehicle and other intrusions, significantly reducing the number of false alarms. By seeing

only thermal energy, the cameras see clearly in complete darkness, without any illumination and are immune to the effects of sunlight, shadows, smoke, haze, insects and even light fog.

**Request more information:** [www.SecurityInfoWatch.com/12122435](http://www.SecurityInfoWatch.com/12122435)

## Arecont Vision MegaVideo Flex Compact Cameras

Arecont Vision's MegaVideo Flex multi-megapixel ultra-small, ultra-flexible camera series offers a cost-effective security solution for installations that require a more flexible and compact design. Due to its small footprint, the camera easily fits into a range of areas and settings, such as ATMs and other tight or discreet spaces while delivering megapixel (MP) high definition video. The stylish indoor/outdoor camera series features a choice of 1.2MP, 1080p, 3MP and 5MP resolution models. The true day/night camera is ideal for applications with variable lighting conditions regardless of time of day. NightView technology in the 1.2MP model ensures coverage in areas where little light is present. Two optional IR (infrared) illuminators may be added to further increase video clarity.

**Request more information:** [www.SecurityInfoWatch.com/12184137](http://www.SecurityInfoWatch.com/12184137)



## SecurityTronix IP BUDDY+ Installation Tools

New CCTV technologies require specific tools to be able to monitor, aim and focus images at the camera. SecurityTronix IP BUDDY+ installation tools are compatible with virtually all new CCTV formats. Whether you install analog, IP, HD-CVI, HD-TVI, AHD or HD-SDI equipment, there is a BUDDY meter for you. A large, color touchscreen ensures that operation is simple. The rechargeable Lithium battery pack provides up to 16 hours typical working time. All versions of the IP BUDDY+ series will allow the user to monitor and adjust analog and IP cameras. Simply choose the IP BUDDY which fits your business best, whether you install HD-CVI, HD-TVI, AHD or HD-SDI cameras. Contact SecurityTronix today to learn more.

**Request more information:** [www.SecurityInfoWatch.com/12202995](http://www.SecurityInfoWatch.com/12202995)  
[www.securitytronix.com](http://www.securitytronix.com)



## Theia Technologies' SL/TL410 4K Lens

Theia Technologies' new SL/TL410 4K lens is designed for the popular 1/1.7-inch 4K image sensor or smaller and provides 12-megapixel-resolution performance. The lens is IR corrected for use with true day/night cameras and maintains its crisp image in near IR light. At only 64mm long and 59mm

in diameter, the lens is designed to fit in dome cameras. The lens will be offered in numerous configurations, including with motorized focus, zoom, and IR cut filter, photo-interrupters, manual, DC auto- and P-iris options, and CS, C and D25 board mount versions. The lens is part of a family of 4K 12-megapixel day/night lenses designed for the 1/1.7" sensor.

**Request more information:** [www.SecurityInfoWatch.com/12070575](http://www.SecurityInfoWatch.com/12070575)

## Quantum Corp.'s Xcellis Storage Solution

Quantum Corp.'s Xcellis workflow storage solution is engineered to optimize demanding workflows, accelerate time to insight and empower organizations to drive greater success. It delivers a comprehensive solution that automates and simplifies data management, providing a unique combination of converged architecture, continuous scalability and unified access in a single system. Utilizing Quantum's QXS disk storage arrays, users can start with a small system and smoothly scale to the largest possible system. Powered by Quantum's StorNext scale-out storage platform and its industry-leading streaming performance, Xcellis can be deployed as a standalone system or as the primary storage component within a multitier storage environment incorporating object storage, tape and cloud technologies.

**Request more information:** [www.SecurityInfoWatch.com/12164509](http://www.SecurityInfoWatch.com/12164509)



## Sentry360's SentryMobile Body Cameras

Sentry360 debuted a new line of SentryMobile body-worn camera products at ISC West. The cameras allow users to not only store video on the device itself, but also the ability to stream the footage wirelessly to an existing video management platform for live monitoring and redundant recording. For law enforcement professionals, a complete process of securing evidence is equipped with the product's chain-of-custody system. Beyond law enforcement applications, the company says an emerging application for body-worn cameras are for service technicians and training. Sentry360 has an open API for third-party application developers to integrate the Wi-Fi-enabled body-worn cameras as part of their system.

**Request more information:** [www.SecurityInfoWatch.com/12189516](http://www.SecurityInfoWatch.com/12189516)



## Hikvision USA's Value Plus 2-4MP Indoor/Outdoor Cameras

Hikvision USA's Value Plus series of 2 MP and 4 MP indoor/outdoor cameras features the supplier's Basic Smart Suite of video content analysis, exceptional wide dynamic range and H.264+ compression. In vertical markets that have a great need for security yet are challenged by limited budgets, such as education and retail, the Value Plus series allows schools and businesses to build robust, versatile surveillance systems. A variety of available form factors include domes, compact domes, turrets and bullets. The 2 MP models offer 1080p resolution at 30 fps; the 4 MP models, 2688x1520 resolution at 20 fps. The cameras are fortified by 120 dB of wide dynamic range and smart infrared options such as high performance EXIR or standard IR LEDs with ranges up to 150 feet.

**Request more information:** [www.SecurityInfoWatch.com/12154494](http://www.SecurityInfoWatch.com/12154494)



## IDIS 30x PTZ Camera

IDIS has unveiled a new Full HD 30x Optical Zoom PTZ Camera featuring game-changing Smart UX Controls. These intuitive "slingshot" and "rubber band" style controls deliver exceptional accuracy and ease of use to users. The camera supports ONVIF and is compatible with a wide range of recording platforms, including DirectIP NVRs and the IDIS Solution Suite enterprise-level VMS. The 30x optical zoom enables users to capture high-quality,

detailed images from great distances, and Wide Dynamic Range (WDR) functionality provides clear images even under back-lit conditions. Day and night ICR delivers a clear subject image from broad daylight to the darkest night. IDIS digital image stabilization (DIS) technology reduces the jarring effects from vibrations during recording.

**Request more information:** [www.SecurityInfoWatch.com/12172179](http://www.SecurityInfoWatch.com/12172179)



## Pelco Optera Series Panoramic Cameras

Optera panoramic cameras from Pelco by Schneider Electric include SureVision 2.0 WDR imaging technology, providing seamless situational awareness with blended panoramic views,

creating a unique and effective panoramic immersive surveillance experience. The cameras offer outstanding image quality with excellent low light performance and true Wide Dynamic Range (WDR). Other features include anti-bloom technologies, 3D Noise filtering and advanced tone mapping. The line includes 180-, 270- and 360-degree models, all of which include a camera and a mount (in-ceiling mount, surface mount, or pendant enclosure) that is ready to install. All models feature a robust, metal, tamper-resistant design, and carry an IK10 impact rating for vandal-resistance.

**Request more information:** [www.SecurityInfoWatch.com/12105636](http://www.SecurityInfoWatch.com/12105636)

## Canon's VB-M50B PTZ Network Camera

Canon's VB-M50B PTZ Network Camera captures video with remarkable color and clarity, even in low-light environments.



The camera's advanced lens with a large aperture ratio ranging from F1.8 (W) to F2.4 (T) allows more light to reach its sophisticated CMOS image sensor, and Canon's powerful DIGIC DV III Image Processor helps deliver crisp images with remarkable color accuracy. The ability to capture color video down to .04 lux and black and white video down to .009 lux, along with a considerable optical zoom capability due to a "Tele" focal length range of 88.5mm, make this camera ideal for long-range low-light applications.

**Request more information:** [www.SecurityInfoWatch.com/12172744](http://www.SecurityInfoWatch.com/12172744)

# TIME TO UPGRADE

**New CCTV platforms require specific tools to be able to aim and focus at the camera**

**HD-COAXINATOR HD-CVI AHD HD-SDI HD-TVI IP ANALOG**

**The SecurityTronix IP BUDDY series of professional installation tools is compatible with virtually all High Definition CCTV platforms as well as analog equipment.**

<p><b>IP BUDDY+</b> Analog Cameras, IP Cameras, Network and Cable tester</p>	<p><b>IPBUDDY+ HDcC MINI</b> HD-COAXINATOR, Analog, IP, HD-CVI &amp; HD-TVI Cameras, and Network tester</p>	<p><b>IP BUDDY+ SDI</b> Analog, IP, and HD-SDI Cameras, Multimeter and Network tester</p>	<p><b>IPBUDDY+ HDcC</b> HD-COAXINATOR, Analog, IP, HD-CVI, HD-TVI, Multimeter and Network tester</p>
<p><b>THE IMAGE OF QUALITY</b></p> <p><b>NB NACE BRANDS</b></p> <p><b>ALARMAX</b> <b>eDistsecurity</b> <b>markertek</b> <b>123SECURITY</b></p> <p><b>TristateTelecom</b> <b>markertek</b> <b>123SECURITY</b></p> <p><b>Distributor opportunities available. Contact SecurityTronix: sales@securitytronix.com Website: www.securitytronix.com</b></p>			

**Request information:** [www.SecurityInfoWatch.com/10486354](http://www.SecurityInfoWatch.com/10486354)





## BCDVideo's Aurora Server

BCDVideo's The Aurora Server Series is built specifically for the under 50-camera marketplace, however, with system throughput of more than 400Mbps, they possess the bandwidth capabilities to easily scale to 100 cameras. They also bring features such as redundant power, 12Gb/s RAID controller with 2GB of Flash Based Write Cache, hot-pluggable hard drives, and server-grade CPU's with 10000 PassMark rating. A key element within these video recorders is the use of HGST helium drives, which feature an unprecedented reliability rating of 2.5M MTBF. These unique surveillance hard drives feature superior random write capabilities, which accounts for 90-95% of the hard drive's usage in a surveillance solution. These are the same drives used in high-availability NAS and SAN systems.

Request more information: [www.SecurityInfoWatch.com/12167862](http://www.SecurityInfoWatch.com/12167862)

## Interlogix TruVision NVR 70

The Interlogix TruVision NVR 70 (TVN 70) is a high-performance Network Video Recorder that supports up to 400Mbps of incoming camera bandwidth, or up to 128 IP camera channels. Designed to accommodate large amounts of data, the NVR is equipped with up to 64TB of embedded storage in a RAID configuration, or up to 96TB in a non-RAID configuration. The product features RAID, advanced camera settings, failover recording, hard drive grouping, network segregation and a large number of other network redundancy features. Utilizing TruVision Navigator Video Management Software, the NVR can also be managed with a license-free standalone or client/host application.

Request more information: [www.SecurityInfoWatch.com/12164424](http://www.SecurityInfoWatch.com/12164424)



## Avigilon HD Network Video Recorders

Avigilon HD Network Video Recorders (NVR) provide secure, reliable and scalable platforms for high performance end-to-end security solutions. The NVRs have Avigilon Control Center (ACC) software preloaded and configured for plug-and-play network video recording and management of multi-megapixel IP cameras, up to our 7K (30 megapixel) Pro. Preloaded and configured with ACC high-definition video management software, the HD NVR Premium is designed to address the requirements of recording multiple camera streams and retaining video for long-term retention. Designed to provide maximum reliability, availability and scalability for demanding enterprise level video management applications. The HD NVR Premium offers high storage density, achieving up to 84 TB of effective recording capacity in a RAID 6 configuration in a 2U form factor.

Request more information: [www.SecurityInfoWatch.com/12172062](http://www.SecurityInfoWatch.com/12172062)

## VIVOTEK's FD9371-HTV H.265 Dome Network Camera

VIVOTEK's FD9371-HTV is an H.265 high-efficiency outdoor dome network camera, offering 30 fps at three megapixels. Employing H.265 technology enables the camera to provide higher and more efficient image compression rates than H.264 systems. The supplier's Smart Stream II enables the camera to optimize resolution for a desired object or area and therefore to maximize efficiency of bandwidth usage. Combining both H.265 and Smart Stream II, the camera can reduce both bandwidth and storage consumption up to 80% while maintaining image quality of the high standard. The camera is also equipped with WDR Pro and SNV, empowering users to enjoy superb image-detail in any lighting condition. An IP66-rated housing ensures the ability to withstand rain and dust.

Request more information: [www.SecurityInfoWatch.com/12172100](http://www.SecurityInfoWatch.com/12172100)



## 3xLOGIC VIGIL V250 Hybrid 2TB NVR

The 3xLOGIC V250 Hybrid is a 2U chassis hybrid NVR with an 8-port POE switch and 16-channel analog looping inputs. The NVR comes standard with a 2TB hard drive, and VIGIL Server and Client software. The unit

provides the perfect replacement solution for aging analog systems. By combining a NVR and analog DVR in the same chassis, an old DVR can be replaced without requiring the replacement of existing cameras. Backed up with an embedded PoE switch, IP cameras can be added as analogs require replacement or as the needs of the end-user change. Other features include: Embedded 4-in/2-out alarm input/output and Easy Setup Wizard.

Request more information: [www.SecurityInfoWatch.com/12184083](http://www.SecurityInfoWatch.com/12184083)

## Digital Watchdog's STAR-LIGHT AHD PANO Camera

Digital Watchdog announces the availability of the world's first AHD (Analog High Definition) multi-sensor camera. The new STAR-LIGHT AHD PANO 6MP Camera offers 3x1080p AHD image sensors to provide panoramic 180° views. With user-friendly features such as UTC for full OSD control using existing coaxial cables, the solutions have been engineered to utilize an existing analog system, increasing ROI by reducing installation time and complexity to provide an HD surveillance solution in minutes. The cameras use existing coaxial cables to transmit crystal-clear detailed 1080p images at up to 30fps. PANO models have three BNC connectors, one for each sensor, plus a fourth BNC out that provides a stitched 180° view perfect for display on a public monitor.

Request more information: [www.SecurityInfoWatch.com/12189628](http://www.SecurityInfoWatch.com/12189628)



## Milestone XProtect 2016 VMS

Milestone's XProtect 2016 video management system contains new features to ease deployment and optimize systems operations. The user benefits are in four areas: improved system performance, including the use of 4K/UHD camera technology; optimized incident handling; reduced operational expenses; and video enhancement of LPR and access control systems. License handling has been simplified to facilitate faster installation and easier updates for dealers and integrators. Offline systems now have more elasticity in licensing without needing to be online. Smart Connect functionality makes it easy to set up mobile users, and the Customer Dashboard online remote system monitoring enables proactive service by Milestone partners to ensure optimum operations — extended in this version with the ability to document maintenance history and system performance.

Request more information: [www.SecurityInfoWatch.com/12159528](http://www.SecurityInfoWatch.com/12159528)

## Sony's SNC-VB770 4K Network Camera

Sony's newest 4K network camera, model SNC-VB770, offers the highest sensitivity in its class — under 0.004lx, expandable to ISO 100-409600. The new model combines ultra-high sensitivity with 4K resolution and advanced networking capabilities to give video professionals more flexibility to capture details even in extreme low-light conditions. The camera achieves high resolution and sensitivity in addition to low noise due to its image processing and full-frame 35mm Exmor sensor — all developed by Sony. The result is low light performance in nearly pitch-black environments beyond the capabilities of human eyes. The camera's E-mount lens series accommodates a variety of lens options from wide angle to telephoto.

Request more information: [www.SecurityInfoWatch.com/12187567](http://www.SecurityInfoWatch.com/12187567)



## Oncam's Evolution 05 Mini Night Camera

Oncam's Evolution 05 Mini Night Camera features the company's patented 360-degree dewarping technology, a high-quality 5MP sensor and fisheye lens in an ultra-small and robust form-factor with no moving parts. The IR-sensitive indoor model allows optimum performance throughout the hours of darkness. It is specifically designed to mount in dark or low-light environments, such as storerooms, dark corners, banks, dorms, 24-hour retail stores, and logistics or utilities centers, and is especially useful for after-hours monitoring. By adding IR illumination, the installer can maximize the detail in the captured images, without needing the lights left on. The camera range is ONVIF Profile S conformant.

Request more information: [www.SecurityInfoWatch.com/12182311](http://www.SecurityInfoWatch.com/12182311)

## Vicon IQeye 9 Series

Vicon's multi-megapixel IQeye 9 Series camera provides wide scene coverage and accurate object detection with increased resolution, along with increased processing power to effectively run analytics and VMS applications at the edge. The camera offers a choice of manual or motorized varifocal lenses or optional CS-mount which allows for additional lens choices, WDR on select models and enhanced features such as analog video out, I/O relay and two-way audio. With on-camera storage and true day/night capability, the cameras are available in H.264 with up to 5MP resolution. Proprietary IQzip technology compresses bandwidth, thereby allowing additional storage capacity. The camera is both ONVIF and PSIA compliant.

Request more information: [www.SecurityInfoWatch.com/12202853](http://www.SecurityInfoWatch.com/12202853)



## Wavestore V6 VMS

Major improvements have been incorporated into Wavestore V6 with the objective of enabling end-user clients to securely and more easily unlock the full potential of an integrated security system. The graphical display has been updated with a fresh new look featuring updated icons and graphics, making it even more intuitive to use. The addition of dockable components and configurability of the live event stream window provides an enhanced user experience. The VMS also introduces camera shortcut keys using the keyboard number pad for added convenience, and security enhancements to protect against malicious hacking attempts, including enhanced encryption and a high-security password policy.

Request more information: [www.SecurityInfoWatch.com/12194534](http://www.SecurityInfoWatch.com/12194534)



### Cut Strip Terminate Test

**Net Prowler™ PRO Test Kit**  
**Identify, Monitor & Test LAN Issues**

**Network Testing**

- Displays IP address, ping IP & URL addresses to check connectivity, & map network devices
- Test throughput, verify port settings, verify switch protocol configurations, & tests 10/100/1000 Base-T, IPV4/IPV6, VLAN, DHCP and more

**PoE**

- Perform load testing to determine if voltages are sufficient for IEEE 802.3af/at PoE devices

**Verification & Troubleshooting of VDV Cables**

- Verify lengths, & map cable terminations and test for cabling issues

**P/N TNP850K1**

More Info

Since 1997 we have delivered on one very straight forward mission... to develop, manufacture and source the absolute best possible solutions for the preparation, installation, hand termination and testing of wire and cable.

**PLATINUM TOOLS**  
We Make Connections EZ

Visit [platinumtools.com](http://platinumtools.com) to see all our Cut, Strip, Terminate & Test solutions and a distributor near you. 805 384 2777

Custom Electronics Security Datacom Telecom Electrical

Request information: [www.SecurityInfoWatch.com/10216200](http://www.SecurityInfoWatch.com/10216200)

The new **5-minute wire fix** you'll rarely use.

Electrified door hinges are notorious for failing. When they do, they're a hassle to repair. Until now.

### Introducing the new SELECT ATW hinge.

Our breakthrough Accessible Through-Wire concealed geared continuous hinge is a fully integrated design. There are no cuts or panels to compromise its integrity and performance. Now you can easily remove the cover plate, access the wire problem and make your repair — in less than five minutes. But this new design does more: it ensures that the ultra-flexible through-wires (available in sets of 4, 8 and 12 with Molex® connectors) last longer. So even though you can fix the wire harnesses faster, you'll hardly ever do it.



**SELECT HINGES™**

800-423-1174

[select-hinges.com/spbb](http://select-hinges.com/spbb)




Request information: [www.SecurityInfoWatch.com/10215943](http://www.SecurityInfoWatch.com/10215943)

## TANE ALARM PRODUCTS

### Water Resistant Commercial Alarm Contacts

Tane Alarm Products (New Hyde Park, NY) has added four Water Resistant alarm contacts to its current line of commercial alarm contacts in track mount, overhead and surface mount styles. All feature very wide gaps and three of the four additionally offer armored cases and cables.

These new contacts are suitable for non-submerged installations in locations exposed to the weather, such as warehouse doors, boatsheds, swimming pool gates, job site tool boxes, storage containers, marine facilities and remote field production installations.




For pricing and ordering call 800-852-5050, fax 516-326-9125 or visit [WWW.TANEALARM.COM](http://WWW.TANEALARM.COM)

Request information: [www.SecurityInfoWatch.com/10215295](http://www.SecurityInfoWatch.com/10215295)



## Platinum Tools' Xpress Jack Keystone Jack Termination Solution

Platinum Tools, the leader in solutions for the preparation, installation, hand termination and testing of wire and cable, is proud to announce the debut of the new Xpress Jack™ (p/n 13501C) keystone jack termination solution, now shipping with an MSRP of \$79.95.



"The Xpress Jack is designed to make keystone jack terminations easier than ever," said John Phillips, Platinum Tools product manager. "It seats and trims all eight conductors in one simple and smooth motion. No more punching down eight times for a single termination. It saves time and energy on small and large jobs."

- Additional features of the Platinum Tools Xpress Jack include:
- One stroke keystone jack terminations
- Heavy duty all carbon tool steel construction
- Designed for 110 type 4 pair keystone jacks
- Rust resistant black oxide finish
- Comfort grip TPR handles to reduce hand stress with prolonged use
- Die set for Platinum Tools Keystone Jacks and other similar designs
- Die set available for 90 degree Leviton Keystone Jacks

For additional pricing and more info on Platinum Tools and its product line, please visit the links below, call (800) 749-5783, or email [info@platinumtools.com](mailto:info@platinumtools.com).

Request more information: [www.SecurityInfoWatch.com/12188419](http://www.SecurityInfoWatch.com/12188419)  
[www.platinumtools.com](http://www.platinumtools.com)



## AXIS Site Designer

Axis Communications provides system integrators and installers with an intuitive new web application that reduces the time and effort needed to design complete security solutions for small and mid-sized systems. AXIS Site Designer works online and offline to recommend cameras and recording solutions, saving time when specifying and designing end-to-end solutions for sites with up to 100 cameras. It includes easy-to-use templates for a variety of security requirements and gives interactive guidance on the selection of cameras, recording products and accessories needed for a complete surveillance solution. The app also features a selection of templates for common installation scenarios. A visual camera selector recommends cameras based on operational requirements, such as required resolution, camera coverage and light conditions.

Request more information: [www.SecurityInfoWatch.com/12191913](http://www.SecurityInfoWatch.com/12191913)

## Ideal's Test-Tone-Trace Kit

Network installers and technicians can accurately identify wiring errors with Ideal's Test-Tone-Trace Kit. Packaged in a custom case, this all-in-one solution performs the essential cable testing functions required in security, data/network, and A/V markets. At the center of the kit is the IDEAL VDV Multimedia Tester, a versatile, handheld tester that features an LCD screen to display pass/fail results and notification of wiring errors that require repair. Its built-in Tone Generator has four distinct tones that can be used to trace coax, RJ-45 and RJ-11 cables, plus any de-energized copper cable including speaker wires, alarm cables and electrical wires.

Request more information: [www.SecurityInfoWatch.com/12202767](http://www.SecurityInfoWatch.com/12202767)



## STI Metal Protective Cabinets

STI's Metal Protective Cabinets protect equipment and provide a degree of protection to enclosed equipment against ingress of falling dirt. Ideal for junction and power supply boxes, the heavy-duty cans are constructed with a powder-coated metal to help protect against corrosion. They have a continuous piano type hinge and seven

½- and ¾-inch conduit knockouts. Options include a key or thumb lock and backplate. For indoor use, the enclosures mount on the wall enabling the units to be protected in their designated locations. Metal meets or exceeds Type 1 requirements, UL/CUL Listed. They are offered in a variety of sizes.

Request more information: [www.SecurityInfoWatch.com/11116588](http://www.SecurityInfoWatch.com/11116588)

## VMP's FRM Series Non-Penetrating Roof Mounts

Video Mount Products' FRM Series of non-penetrating roof mounts are designed for wireless security surveillance systems, as well as DBS, off-air antenna, satellite internet systems, and point-to-point CCTV signal transmission. Using standard 8in x 8in x 16in cin-derblocks as ballast, the unit provides a way to roof-mount security equipment without damaging the roofing surface. The roof mounts are constructed of steel and use standard concrete blocks to anchor. Models include: FRM-125, FRM-166 and FRM-200. The FRM-MAT is an optional protective rubber mat that works with all of the roof mounts.

Request more information: [www.SecurityInfoWatch.com/12057489](http://www.SecurityInfoWatch.com/12057489)



## D-Tools' System Integrator 2016

D-Tools Inc.'s new SI 2016 release adds valuable new productivity features and enhancements that enable security integrators to streamline business processes and increase profitability. Building on the architecture of the System Integrator platform, the software makes it faster and easier to perform key functions of an integrator's business, including estimating, system design and project management. The system also includes project and data management, integration with SupplyStream and QuickBooks Online, Purchase Requests, as well as improvements to Change Order capabilities. Uses Autodesk, AutoCAD and Microsoft Visio to facilitate comprehensive system design, documentation and project management, the software reduces the time and cost associated with the installation and integration of low-voltage electronic systems.

Request more information: [www.SecurityInfoWatch.com/12172988](http://www.SecurityInfoWatch.com/12172988)



## March Networks GURU 2.2 Smartphone App

A new installation audit feature available in the latest version of March Networks' free GURU Smartphone Application enables technicians from certified partners to quickly review and verify system settings once an installation is complete. Installation reports include 8000 Series Hybrid NVR or RideSafe GT Series Hybrid Transit NVR systems, and they include a comprehensive snapshot of a system's key configuration details, including: device, network and storage information; disk status; text channels; camera data rates; and a thumbnail image of each connected camera's field-of-view. The information is packaged automatically, along with location and installation pictures, in a convenient Microsoft Word format so technicians can email it to themselves or to a supervisor.

Request more information: [www.SecurityInfoWatch.com/12202792](http://www.SecurityInfoWatch.com/12202792)



# ELECTRIFY RETRACT CONTROL



SDC's Quiet DUO™ LR100 Series Electric Latch Retraction Kit retrofits most brands\* of mechanical exit devices. With higher voltage tolerance - up to 26.5 volts - and stronger pulling force, the LR100 provides quiet, low current <sup>a</sup> durability. When paired with other SDC access control components, compatibility is guaranteed!

<sup>a</sup> 700mA Inrush, 200mA Continuous @ 24VDC

JACKSON • DOR-O-MATIC • ADAMS RITE models AVAILABLE


\* For details and specifications: [SDCSecurity.com/LR100](http://SDCSecurity.com/LR100)



the lock behind the system

Request more info: [www.SecurityInfoWatch.com/10214991](http://www.SecurityInfoWatch.com/10214991)

SDCSecurity.com • 800.413.8783 • [service@sdccsecurity.com](mailto:service@sdccsecurity.com)







# WHATEVER YOU NEED, KEVIN MAKES SURE IT'S ALREADY IN STOCK.

## 1.75 MILLION SKUS IN STOCK NOW.

As the industry's largest electrical and mechanical door hardware distributor, we also maintain the largest inventory. So no matter what you're looking for, we're sure to have exactly what you need, precisely when you need it.

That's just one more reason industry pros  
choose Security Lock Distributors.  
Again and again.



Authorized Allegion Distributor

LCN ■ **SCHLAGE** ■ VON DUPRIN

seclock.com | 800-847-5625



INFORMED. IN STOCK. IN DEPTH.

Request more info: [www.SecurityInfoWatch.com/10215009](http://www.SecurityInfoWatch.com/10215009)